MCM CUSTOM AUDIO

FM Stereo RF Modulator

Designed for use with mobile multimedia products such as DVD players or VCRs, this FM modulator may be used with any line level audio source. Accepts L/R audio in and provides stereo output on either 88.3MHz or 88.7MHz on any factory or aftermarket automobile radio. This greatly eases integration of aftermarket multimedia products with existing autosound equipment. Includes male and female antenna connections to connect in line with car radio antenna. Input connections are RCA type female. Auto power function turns unit on when audio signal is detected. **Specifications:** •Power requirements: 10~30VDC, 140mA (at 13.8VDC) •Dimensions: 1" (H) x 1⅜" (W) x 2⅜" (D)

Order #	(1-3)	(4-up)
60-9893	$42.79	$38.50

MCM CUSTOM AUDIO

Multi Source/Multi Output Audio Video Selector

Ideal for use when VCRs, DVD players, navigational systems and video games are to be integrated into the mobile video system. Unit contains four sets of A/V inputs, and three sets of outputs. Each output has an individual wired remote, allowing independent switching between inputs. Internal distribution amplifier compensates for loss typically present when signals are split, allowing one or all monitors to view the same source with no picture degradation. Each of the three remote controls are attached via an included 10' cord. "Power-on-demand" feature turns unit on automatically when audio signal is detected. Up to 20 units may be daisy-chained, allowing selection from the four inputs to up to 60 monitors. All input and output connections are RCA type female. **Specifications:** •Power requirements: 10~30VDC, 180mA (at 13.8VDC) •Dimensions: 1¾" (H) x 7.5" (W) x 4" (D)

Order #	(1-3)	(4-up)
60-9892	$171.31	$154.17

MCM CUSTOM AUDIO

Single Set Multi Source Controller

Ideal for use when VCRs, DVD players, navigational systems and video games are to be integrated into the mobile video system. Included remote control is attached via an included 10' cord, and selects signal from one of the four stereo audio video inputs. Outputs consist of a single pair of left/right audio and three video, allowing easy connection of multiple monitors without signal degradation. "Power-on-demand" feature turns unit on automatically when audio signal is detected. All input and output connections are RCA type female. **Specifications:** •Power requirements: 10~30VDC, 180mA (at 13.8VDC) •Dimensions: 1" (H) x 7.5" (W) x 4" (D)

Order #	(1-3)	(4-up)
60-9891	$96.34	$86.70

NEW! NEW! NEW!

MCM CUSTOM AUDIO

6" Color LCD Monitor

Ideal for security, mobile VCR and DVD applications, as well as display of mobile computer or satellite tracking information. 3.5mm stereo jacks provide A/V input and output, making daisy chaining multiple monitors easy. For CCTV applications, two 4 pin S-video type (4 pin DIN) connections allow audio/video input, plus supply 12VDC to power most CCD cameras. A separately available adaptor cable (#60-9246) adapts these inputs to standard RCA type female connections, allowing compatibility with any camera or additional A/V sources. **Features:** •Front panel selectors for AV, camera 1, camera 2 input, day/night viewing and power on/off •Controls for volume, brightness, color, tint and image reverse •12' automotive cigarette lighter power cord •Multi-position stand •A/V in/out cables **Specifications:** •Resolution: 960 (H) x 234 (V) •Power requirements: 10~32VDC, 750mA, AC adaptor included •Video system: NTSC •Viewing angle: Left/right/down: 45°, up 15° •Video system: NTSC, 1V p-p •Audio input: Standard line level •Dimensions: 5⅜" (H) x 7⅛" (W) x 1⅛" (D), excluding base

Order #	(1-3)	(4-up)
60-9900	$249.00	$239.00

MCM CUSTOM AUDIO

Camera Input Adaptor Cable

Designed exclusively for the MCM Custom Audio 6" color monitor (#60-9900), this 9" cable assembly adapts rear camera inputs for use with any standard A/V source. Cable consists of a 4 pin S-video type connector to two RCA type female connectors, for composite video and line level audio input. Additionally, stripped leads provide 12VDC from the monitor, to power most CCD cameras. Two adaptor cables may be used with each monitor.

Order #	(1-3)
60-9249	$6.99

MCM CUSTOM AUDIO

Mobile Video Amplifier

The perfect solution for mobile video applications where numerous monitors are driven, such as tour buses and large RVs. Single video input is amplified and distributed to seven outputs, allowing signal from VCR, DVD player, tuner or any other video source to be viewed on multiple monitors without picture degradation. All connections are RCA type female. **Specifications:** •Power requirements: 10~30VDC, 180mA (at 13.8VDC) •Dimensions: 1" (H) x 3.25" (W) x 2.5" (D)

Order #	(1-3)	(4-up)
60-9890	$42.79	$38.50

Automotive Products

Alarms . . . . . .261~265
Amplifiers . . . . .252~256
Antennas 252, 266
Autopage 261, 262
Bulldog 261, 262
Capacitors 265
Carpet 266
Enclosures 260
Head Units . . . . .249~251
LCD Monitors . . .245~248
Power Acoustik . . .247~249, 252
Pyle . . . . . .246, 250, 253, 254, 257~259
Pyramid . . . . . .245, 251, 254~256, 258~260
Relays 263
Speakers . . . . . .256~260
Wiring Accessories . . . .263~266
XM Radio Antennas . .252

NEW! NEW! NEW!

MCM CUSTOM AUDIO

7" 16:9 Color LCD Monitor

Designed for custom automotive multimedia applications, this monitor is perfect anywhere compact video is required. 16:9 aspect ratio takes full advantage of wide screen formats of DVD media. High resolution, high brightness display provides 1200 x 234 resolution and wide viewing angle. It is ideally suited for DVD players, video games, VCRs, cameras, camcorders and automotive navigation equipment. **Features:** •Dual A/V inputs •IR remote control •180° "image-flip" for inverted mounting •On screen control of brightness, contrast, color and tint •Wide, Wide2, Cinema, Normal and Full video display modes •Internal speaker with front panel volume adjustment •Included mounting stand **Specifications:** •Power requirements: 11~16VDC, 800mA, AC adaptor included •Viewing angle: Left/right/down: 45°, up 15° •Dimensions: 4⅛" (H) x 7⅜" (W) x 1⅜" (D), excluding base

Order #	(1-3)	(4-up)
60-9905	$279.00	$259.00

PYRAMID®

FM Stereo RF Modulator

Enables any audio device having line level, or headphone output play through existing car audio system. Unit connects between car antenna and radio, and places audio material on either 88.9MHz or 88.5MHz (selectable). L/R audio input jacks are color coded RCA female.

Order #	Mfr. #	(1-3)	(4-up)
60-3824	PD1	$20.95	$19.95

MCM CUSTOM AUDIO 4" Color LCD Monitor Module

Designed for the custom autosound installer or for special design applications. This compact module is an open circuit board with no case or housing. It may be incorporated into automotive seat backs, custom panels, rack panels and other enclosures.
Specifications: •Resolution: 383 (H) x 234 (V) •Power requirements: 12VDC, 500mA •Video system: NTSC •Overall dimensions: 3½" (H) x 5" (W) x 1½" (D)

Order #	Description	(1-3)	(4-up)
60-9855	LCD Monitor	$99.99	$97.50

Order #	Description	(ea.)	(2-4)
24-655	36" cable 3.5mm to (2) RCA male	$3.19	$2.99

Composite Video to CAT5 Balun

Compact adaptor converts composite video signal for transmission over Cat5, 5E or Cat6 cable. It also provides path for 12VDC power supply when used with compact LCD video monitors or security cameras. Uses one pair for video signal, and two additional pairs to pass 12VDC power (pairs are paralleled to increase current handling). Video in/out is female RCA, power connection is 6" color coded pigtail. Cat5 connection is female RJ-45. Male RJ-45 to single pair screw terminal adaptor is included for use with unterminated cable, making it ideal in retrofit applications where unused Cat5 pairs exist. Passive device passes signal in either direction, and requires no power. **Max distance:** •Video only, 1000' •Video and power: 300' **•Sold individually, must be used in pairs**

Order #	(1–3)	(4–up)
50-7355	$19.95	$18.95

PYLE Overhead Flip–Down 5.6" Monitor

•Universal ceiling mount is compatible with most vehicles •Internal dome light allows replacement of existing vehicle dome light •Internal speaker •Dual A/V inputs •Resolution: 960 x 234

Order #	Model #	(1–3)	(4–up)
60-5160	PLVWR5600	$215.25	$193.73

NEW! NEW! NEW! NE

10.2" Color LCD 16:9 Monitor Module

MCM CUSTOM AUDIO

Designed for custom applications, this open frame monitor includes no housing, allowing easy incorporation into existing equipment, wall displays, custom rack panels or anywhere compact video monitoring is required. Its ability to accept SVGA as well as composite input enables tremendous application flexibility. This module comes in three pieces allowing separate mounting of the drive board for greater mounting flexibility. **Features:** •S–video, SVGA and two auto–sensing NTSC/PAL video inputs •Two L/R stereo audio inputs •Independent feed–through audio and video outputs, for each input (except SVGA) •On board 2W x 2 channel audio amplifier •External tact switch PC board with six momentary switches for power and on–screen menu functions •On screen control of video input, contrast, brightness, color tint, sharpness, volume, bass and treble •Included IR remote control **Specifications:** •Power requirements: 10.8~13.2VDC, 12W (1A @12VDC) •Power input connector: Standard barrel jack, 1.2mm (I.D), 3.5mm (O.D.) •Resolution 800 x 480 •Dot pitch: 0.1905 x 0.1905 •Viewing angle: Left/right/down 60°, up 50° •Display type: RGB stripe •Video 1 and video 2 inputs: NTSC/PAL auto sensing, female BNC (four BNC to RCA female adaptors included) •Video 3 input: S–video, female •Video 4 input: SVGA, female HD15 attached to 7" pigtail •Audio 1 and audio 2 inputs: L/R RCA female pairs, color coded red/white •All feed through outputs match input connection •Audio outputs: 3.5mm jack and 12" pigtail leads •Video display dimensions: 5.75" (H) x 9.25" (W) x 0.25" (D) •Drive board dimensions (including connectors): 1.25" (H) x 8.25" (W) x 4.25" (D) •Function PC board dimensions (including buttons): 0.75" (H) x 6.88" (W) x 0.63" (D)

Order #	(1–3)	(4–up)
60-9897	$375.00	$362.50

MCM CUSTOM AUDIO Large Color LCD Monitor Modules

Designed for custom applications, these open frame monitors include no housing, allowing easy incorporation into existing equipment, wall displays, custom rack panels or anywhere compact video monitoring is required. Their ability to accept SVGA as well as composite input enables tremendous application flexibility. Assemblies come in three pieces allowing separate mounting of the drive board for greater flexibility. **Features:** •S–video, SVGA and two auto–sensing NTSC/PAL video inputs •Two L/R stereo audio inputs •Independent feed–through audio and video outputs, for each input (except SVGA) •On board 2W x 2 channel audio amplifier •External tact switch PC board with six momentary switches for power and on–screen menu functions •On screen control of video input, contrast, brightness, color tint, sharpness, volume, bass and treble •Included IR remote control **Specifications:** •Requires 12VDC, 1.5A (2.5A for 17" model) •Includes AC adaptor with universal 90~260VAC input •Display type: RGB stripe •Video 1 and video 2 inputs: NTSC/PAL/SECAM auto sensing, female BNC •Video 3 input: S–video, female •Video 4 input: SVGA, female HD15 attached to 7" pigtail •Audio 1 and audio 2 inputs: L/R RCA female pairs, color coded red/white •All feed through outputs match input connection •Audio outputs: 3.5mm jack and 12" pigtail leads •Drive board dimensions (including connectors): 1.25" (H) x 8.25" (W) x 4.25" (D) •Function PC board dimensions (including buttons): 0.75" (H) x 6.88" (W) x 0.63" (D)

Display Dimensions					
Order #	Size	(H) x (W) x (D)	Resolution	(1–3)	(4–up)
60-9898	15"	10.3"x12.4"x0.67"	1024x768	$479.00	$455.00
60-9899	17"	11.7"x14.1"x0.67"	1280x1024	549.00	521.00

MCM CUSTOM AUDIO 4" High Resolution Color LCD Monitor Module

Intended for video applications requiring improved picture quality over commonly available 4" LCD modules. This ultra-compact device is an open circuit board with no case or housing, and may be incorporated into enclosures, custom panels, automotive seat backs and even vehicle sun visors. Overall dimensions are only 3⅛" (H) x 4" (W) x 1" (D), yet the 4" diagonal measure screen provides incredible 480 x 234 resolution. **Specifications:** •Video input: RCA type female jack •Video system: NTSC composite •Power requirements: 12VDC, 500mA •Power connection: Barrel type connector, 5.0mm O.D., 2.0mm I.D., positive tip •Optional 12VDC, 500mA AC adaptor available

Order #	Diameter	(1-3)	(4-up)
60-9857	LCD monitor	$254.00	$229.00
82-3950	AC adaptor	5.99	-

MCM CUSTOM AUDIO 7" 16:9 Color LCD Monitor Module

Designed for custom automotive multimedia applications, this module may be incorporated into wall displays, equipment rack panels or anywhere compact video monitoring is required. Open PC board module includes no rear housing, allowing easy incorporation into existing equipment. Tact switch PC board has six momentary switches for selecting power and menu functions. Switch connections are readily accessible for incorporation into custom systems.
Features: •Three selectable video inputs •External input #3 override •External display dim control •Capability for automatic disable when vehicle in use •On screen display •Selectable 16:9 and 4:3 formats •Selectable mirror image •On screen control of brightness, contrast, color, sharpness and input selection **Specifications:** •Power requirements: 8~15VDC, 9W (650mA @13.8VDC) •Resolution 800 x 480 •Viewing angle: Left/right/down: 45°, Up: 15° •Display type: RGB stripe •Video system: NTSC/PAL auto sensing •Dimensions: 4.17" (H) x 6.50" (W) x 0.73" (D) **•Note:** This module does not provide audio

Order #	(1–3)	(4–up)
60-9895	$249.00	$239.00

NEW! NEW! NEW! NEW! NEW! NEW!

PYRAMID® 7.2" LCD 16:9 Monitor w/Universal Headrest Mount

Compact monitor is ideal for viewing DVD media, as well as all other standard video formats. Included headrest mount is compatible with most post type auto headrests. **Features:** •Two video inputs •Standard NTSC composite video input •On screen menu display •Built in speaker •Black background during signal absence •Image reverse for rear view •Image flip for inverted mounting •Requires 13.8VDC, 720mA •Dimensions: 5.9" (H) x 8.66" (W) x 1.37" (D) •Includes IR remote control

Order #	Mfr. #	(1-3)	(4-up)
60-3822	MV72TFT	$149.00	$142.00

PYRAMID® 7.2" 16:9 Color LCD TV/Monitor

Designed for custom automotive multimedia applications, this completely self contained television includes an off–air and cable ready tuner for stand alone use. **Complete kit includes:** •Fused 12VDC wiring harness for automotive use •12VDC/1.5A AC adaptor for home use •Coiled cigarette lighter cord •Compact stereo earbuds •24 button IR remote control •Universal mounting base **Features:** 3.5mm A/V input, with adaptor cable to dual RCA female •3.5mm antenna input with included "F" female adaptor •Full NTSC, PAL, SECAM compatibility •On screen control of brightness, contrast, color and tint •Normal, full and zoom video display modes •Internal speaker with front panel volume adjustment **Specifications:** •Power requirements: 12VDC, 850mA •Resolution: 1440 x 234 •Dimensions: 5" (H) x 7" (W) x 1¼" (D), excluding base

Order #	(1–3)	(4–up)
60-3826	$169.00	$160.00

PYRAMID® 7.2" LCD 16:9 Ceiling Mount Monitor

Compact monitor is ideal for viewing DVD media, as well as all other standard video formats. Universal ceiling mount is compatible with most automotive interiors. Measures only 1.37" thick when closed. **Features:** •NTSC/PAL compatible •Provides audio output through single headphone jack •Requires 13.8VDC, 520mA •Dimensions: 1.37" (H) x 9.4" (W) x 9.44" (D) closed •Includes IR remote control

Order #	Mfr. #	(1-3)	(4-up)
60-3832	MV7RM	$139.00	$132.25

PYRAMID® 7" LCD 16:9 Monitor with Universal Headrest Mount

Versatile compact color monitor provides the correct wide screen aspect ratio for viewing today's DVD media. It may be attached to most standard LCD monitor stands, and includes a universal headrest mount, making installation into most vehicles a snap. Accepts NTSC standard composite video input from any DVD player, VCR, camcorder, video game or camera. Includes multi function remote control •Requires 12VDC, 600mA

Order #	Model #	(1–3)	(4–up)
60-5235	MV7SC	$154.00	$139.00

For The Latest NEW PRODUCTS visit www.mcminone.com

NEW! NEW! NEW! NEW! NEW! NEW! NEW! NEW! NEW!

Power Acoustik

PowerAcoustik 8" Pull Down Ceiling Monitor w/DVD Player

Slim compact roof mount LCD monitor includes built-in DVD player, and will accept signal from standard A/V sources. **DVD features:** •Compatible with DVD, DVD-R, VCD, SVCD, CD-DA, CD-R/RW, MP3•Vacuum loader •Dolby Pro-Logic/DTS compatible •Speed control for x2, x4, x8 and x16 forward/reverse •Electronic digital anti-shock **Overall features:** •NTSC/PAL auto selection •On screen display •IR remote control •Swivel screen •Rear panel A/V input •Line level A/V output •640 x 480 resolution (4:3) •Built-in IR transmitter for use with external wireless headphones (available separately) •Dome light •Mfr. #PMD-83CM

Order #	(1-3)	(4-up)
60-5445	$529.00	$477.00

PowerAcoustik 10.4" Pull Down Ceiling Monitor

Slim compact roof mount LCD monitor is ideal for use with all standard mobile video sources. **Features:** •Swivel screen •Amorphous active matrix TFT/LCD display •1600 x 320 resolution (4:3) •NTSC/PAL auto selection •On screen display •IR remote control •Single A/V input •Built–in IR transmitter for use with external wireless headphones (available separately) •Dome light •Mfr. #PT-109CM

Order #	(1–3)	(4–up)
60-5450	$529.00	$477.00

PowerAcoustik 8" Pull Down Ceiling Monitor

Slim compact roof mount LCD monitor is ideal for use with all standard mobile video sources. **Features:** •Swivel screen •Amorphous active matrix TFT/LCD display •1440 x 234 resolution (16:9) •Four screen modes: Full, cinema, wide and zoom •NTSC/PAL compatible •On screen display •IR remote control •Single A/V input •Dome light •Mfr. #PT-804CM

Order #	(1–3)	(4–up)
60-5455	$249.00	$225.00

PowerAcoustik 7" Headrest Monitor

Slim compact design is easily mounted in a variety of locations, and is specially designed for headrest mounting. **Features:** •Amorphous active matrix TFT/LCD display •1440 x 234 resolution (16:9) •Four screen modes: Full, cinema, wide and zoom •NTSC/PAL compatible •On screen display •IR remote control •Single A/V input •Front panel controls and headphone jack •Mfr. #PT-716HRS

Order #	(1–3)	(4–up)
60-5470	$219.00	$198.00

PowerAcoustik 7" Pull Down Ceiling Monitor

Slim compact roof mount LCD monitor is ideal for use with all standard mobile video sources. **Features:** •Swivel screen •Amorphous active matrix TFT/LCD display •1440 x 234 resolution (16:9) •Four screen modes: Full, cinema, wide and zoom •NTSC/PAL compatible •On screen display •IR remote control •Single A/V input •LED dome lights •Mfr. #PT-702CM

Order #	(1–3)	(4–up)
60-5460	$209.00	$189.00

PowerAcoustik 7.3" Pull Down Ceiling Monitor

Slim compact roof mount LCD monitor is ideal for use with all standard mobile video sources. **Features:** •Swivel screen •Amorphous active matrix TFT/LCD display •1440 x 234 resolution (16:9) •Four screen modes: Full, cinema, wide and zoom •NTSC/PAL compatible •On screen display •IR remote control •Single A/V input •Built-in dome lights •Mfr. #PT-722CM

Order #	(1–3)	(4–up)
60-5465	$175.00	$158.00

Power Acoustik

NEW! NEW! NEW! NEW! NEW! NEW!

PowerAcoustik

7" Headrest Monitor

Slim compact design is easily mounted in a variety of locations, and is specially designed for headrest mounting. **Features:** •Included pre–curved head rest adaptor •Adjustable depth headrest shroud •Amorphous active matrix TFT/LCD display •1440 x 234 resolution (16:9) •Four screen modes: Full, cinema, wide and zoom •NTSC/PAL compatible •On screen display •IR remote control •Single A/V input •Mfr. #PT-700MHR

Order #	(1–3)	(4–up)
60-5475	$195.00	$176.00

PowerAcoustik

6.5" Headrest Monitor

Slim compact design is easily mounted in a variety of locations, and is specially designed for headrest mounting. **Features:** •Amorphous active matrix TFT/LCD display •1200 x 234 resolution (16:9) •Five screen modes: Full, cinema, stretch, wide and zoom •NTSC/PAL compatible •On screen display •IR remote control •Single A/V input •Mfr. #PT-951MH

Order #	(1–3)	(4–up)
60-5480	$279.00	$252.00

PowerAcoustik

5" Headrest Monitor

Slim compact design is easily mounted in a variety of locations, and is specially designed for headrest mounting. **Features:** •Amorphous active matrix TFT/LCD display •960 x 234 resolution (4:3) •NTSC compatible •Auto signal sensing •On screen display •IR remote control •Single A/V input •Mfr. #PT-501MHN

Order #	(1–3)	(4–up)
60-5485	$199.00	$179.00

#60-5515

PowerAcoustik

#60-5516

LCD Monitor Gooseneck Mount

Compatible with all Power Acoustik and many other free standing LCD color monitors. Also works with many CCTV cameras. Heavy duty adjustable mounting pole includes bracket for securing under automotive seat bolt. Available in two lengths.

Order #	Length	(1–3)	(4–up)
60-5515	22"	$52.95	$47.95
60-5516	16"	45.95	41.95

For Customer Service Call 1-877-626-3532

PowerAcoustik

A/V 4 x 4 Matrix Controller with IR Remote

Allows connection of four A/V sources, and four monitors, and allows independent selection of sources on any monitor. All control is accomplished via the included IR remote control. **Features:** •Accommodates L/R stereo audio •All in/output connections RCA female •Remote eye with 18' cord •Four 12V output triggers •Mfr. #AVIR5

Order #	(1-3)	(4-up)
60-5490	$119.00	$109.00

PowerAcoustik

69 Channel Universal TV Tuner

Ideal for use with LCD color monitors in mobile video applications, this tuner is compatible with any composite video input. **Features:** •Provides A/V input for two additional sources •Accommodates L/R stereo audio •All in/output connections RCA female •Remote eye with 18' cord •3.5mm inputs for two external antennas (available separately) •Mfr. #TUNER42R

Order #	(1–3)	(4–up)
60-5500	$94.95	$86.00

PowerAcoustik

69 Channel Universal TV Tuner with FM Transmitter

Ideal for use with LCD color monitors in mobile video applications, this tuner is compatible with any composite video input. **Features:** •Provides A/V input for two additional sources •Accommodates L/R stereo audio •All in/output connections RCA female •Input for accessory back–up camera •Remote eye with 18' cord •Four 3.5mm inputs for connection of diversity antenna (available separately) •Mfr. #TUNER5R

Order #	(1–3)	(4–up)
60-5501	$119.00	$109.00

PowerAcoustik

FM Stereo RF Modulator

RCA type L/R line level inputs accept signals from any conventional source including DVD players, televisions, portable MP3 players VCRs and camcorders. PLL tuning and full band control allows selection of any frequency on the FM broadcast band. Antenna in/out connections allow incorporation between vehicle head unit and antenna. Digital display clearly indicates transmitting frequency. Mfr. #EFM-100.

Order #	(1–3)	(4–up)
60-5520	$43.95	$39.95

PowerAcoustik

Add–On Wireless Headphone System

Self contained set connects to the line level stereo output of any audio source, and provides wireless connection to the two included headphones. Additional headphones are available separately. **Features:** •IR operation is immune to all types of RF interference •Independent volume control on each headphone •Infinite number of headphones may be used with a single transmitter (within visible range) •Set includes one transmitter and two headphones •Mfr. #WLHP-2IR

Order #	(1–3)	(4–up)
60-5510	$63.95	$57.95

PowerAcoustik

Single Wireless Headphone

Use with all Power Acoustik and many other IR wireless headphone systems. Single headphone sold without transmitter. •Mfr. #WLHP-1S

Order #	(1–3)	(4–up)
60-5505	$25.95	$23.50

PowerAcoustik

FM Stereo RF Modulator

RCA type L/R line level inputs accept signal from any conventional source including DVD players, televisions, portable MP3 players VCRs and camcorders. PLL tuning allows selection of seven preset frequencies on the FM broadcast band. Antenna in/out connections allow incorporation between vehicle head unit and antenna. •Mfr. #EFM-04

Order #	(1-3)	(4-up)
60-5521	$20.95	$18.95

PowerAcoustik

FM Stereo RF Modulator

RCA type L/R line level inputs accept signal from any convention source including DVD players, televisions, portable MP3 players VCRs and camcorders. Flexible tuning allows selection of eight preset frequencies on the FM broadcast band. Wireless transmitter allows easy installation without the need to access vehicle head unit antenna connection. Mfr. #FMT-8.

Order #	(1–3)	(4–up)
60-5525	$31.95	$28.79

PowerAcoustik

FM Stereo RF Modulator

RCA type L/R line level inputs accept signal from any convention source including DVD players, televisions, portable MP3 players VCRs and camcorders. PLL tuning allows selection from 40 preset frequencies on the FM broadcast band. Wireless transmitter allows easy installation without the need to access vehicle head unit antenna connection. LED display clearly displays transmitting frequency. Mfr. #FMT-40D.

Order #	(1–3)	(4–up)
60-5526	$36.95	$33.29

Power Acoustik

Automotive DVD/CD/MP3 Player

Provides the full audio/video benefits of DVDs, music CDs and CD-R recorded MP3s. **Features include:** •DTS compatible Dolby Pro–Logic output •500 line high–resolution output •Coaxial digital output •S-video output •NTSC and PAL compatibility •30 button I.R. remote •Front panel, plus remote mount IR receiver eye •Front panel A/V auxiliary inputs •Variable line level audio output •Auxiliary switched headphone output •Switched 12VDC output (500mA max) •Digital anti shock mechanism •Compact size, measures only 2.7" (H) x 7.8" (W) x 10.5" (D) •Requires 12VDC, 1.25A

Order #	Model #	(ea.)	(2–up)
60-4785	PADVD-50	$147.00	$136.00

NEW! NEW! NEW! NEW! NEW! NEW!

AM/FM/CD/MP3 Player

Single DIN head unit plays standard CDs, CDRs and CDs recorded in compressed MP3 format. **Features:** •Drop door fully electronic detachable face •Power loading CD mechanism •AM/FM PLL synthesized tuning with 30 station presets •Store/scan/seek tuning modes •Included IR remote control •Electronic control of volume, balance, fader, bass and treble •Internal 40W x 4 channel amplifier •Front/rear line level RCA outputs •Line level RCA input •Jumbo multicolor backlit LCD display •Anti-theft LED •Clock •Mfr. #PAMP3-826R

Order #	(1-3)	(4-up)
60-5400	$115.00	$104.00

AM/FM/CD Player

•Single DIN head unit plays standard CDs and CDRs **Features:** •Drop door fully electronic detachable face •Power loading CD mechanism •AM/FM PLL synthesized tuning with 30 station presets •Store/scan/seek tuning modes •Included IR remote control •Electronic control of volume, balance, fader, bass and treble •Internal 40W x 4 channel amplifier •Front/rear line level RCA outputs •Line level RCA input •Jumbo multicolor backlit LCD display •Anti–theft LED •Clock •Mfr. #PACD-825R

Order #	(1–3)	(4–up)
60-5405	$97.95	$89.00

AM/FM/CD Player

•Single DIN head unit plays standard CDs and CDRs **Features:** •Fully detachable face •Power loading CD mechanism •AM/FM PLL synthesized tuning •Electronic control of volume, balance, fader, bass and treble •Internal 40W x 4 channel amplifier •Line level RCA output •Multicolor backlit LCD display •Anti–theft LED •Clock •Mfr. #PACD-506

Automotive Diversity TV Antenna System

Perfect for mobile video systems with tuners that utilize diversity antenna inputs. For independent antennas, on two mounting brackets, provides the required four 3.5mm antenna connections. 75ohm cable is 12' long. Mfr. #ANT-1.

Order #	(1–3)	(4–up)
60-5530	$15.79	$14.25

AM/FM/CD Player

•Single DIN head unit plays standard CDs and CDRs **Features:** •Fully electronic detachable face •Power loading CD mechanism •AM/FM PLL synthesized tuning with 30 station presets •Store/scan/seek tuning modes •Electronic control of volume, balance, fader, bass and treble •Internal 40W x 4 channel amplifier •Line level RCA output •Jumbo multicolor backlit LCD display •Anti–theft LED •Clock •Mfr. #PACD-875

Order #	(1–3)	(4–up)
60-5410	$85.95	$78.00

AM/FM/CD Player

•Single DIN head unit plays standard CDs and CDRs **Features:** •Fully detachable face •Power loading CD mechanism •AM/FM PLL synthesized tuning •Electronic control of volume, balance, fader, bass and treble •Internal 40W x 4 channel amplifier •Line level RCA output •Multicolor backlit LCD display •Anti–theft LED •Clock •Mfr. #PACD-507

Order #	(1–3)	(4–up)
60-5415	$74.95	$68.00

Single DIN CD Player

•Single DIN head unit plays standard CDs and CDRs **Features:** •Fully detachable face •Power loading CD mechanism •AM/FM PLL synthesized tuning •Electronic control of volume, balance, fader, bass and treble •Internal 40W x 4 channel amplifier •Line level RCA output •Multicolor backlit LCD display •Anti–theft LED •Clock •Mfr. #PACD-506

Order #	(1–3)	(4–up)
60-5420	$77.95	$71.00

Automotive TV Antenna System

Perfect for mobile video systems with DVD players or VCRs with built–in tuners having standard 75ohm coax input. 75ohm cable is 12' long. Mfr. #ANT-4VCR.

Order #	(1–3)	(4–up)
60-5535	$15.79	$14.25

AM/FM/CD/DVD Player

Single DIN head unit plays standard DVDs, CDs, CDRs and CDs recorded in compressed MP3 format. It is an ideal video source unit for any mobile video system. **Features:** •Fully detachable face •Slot loading mechanism supports multiple angle mounting •On screen display •Dolby Pro–Logic/DTS compatible •NTSC/PAL switchable •AM/FM PLL synthesized tuning with 30 station presets •Store/scan/seek tuning modes •Included IR remote control •Electronic control of volume, balance, fader, bass and treble •Last position memory •Internal 40W x 4 channel amplifier •Front/rear line level RCA outputs •Jumbo multicolor backlit LCD display •Clock •Mfr. #PADVD-130

Order #	(1–3)	(4–up)
60-5425	$205.00	$185.00

AM/FM/CD/DVD Player

Single DIN head unit plays standard DVDs, CDs, CDRs and CDs recorded in compressed MP3 format. It is an ideal video source unit for any mobile video system. **Features:** •Fully detachable face •Slot loading mechanism supports multiple angle mounting •On screen display •Dolby Pro–Logic/DTS compatible •NTSC/PAL switchable •AM/FM PLL synthesized tuning •Included IR remote control •Electronic control of volume, balance, fader, bass and treble •Internal 40W x 4 channel amplifier •Front/rear line level RCA outputs •Line level subwoofer output •A/V input •Jumbo multicolor backlit LCD display •Clock •Mfr. #PADVD-750R

Order #	(1–3)	(4–up)
60-5430	$149.00	$135.00

Single DIN CD/DVD Player

Single DIN head unit plays standard DVDs, CDs, CDRs and CDs recorded in compressed MP3 format. It is an ideal video source unit for any mobile video system. **Features:** •Slot loading mechanism supports multiple angle mounting •On screen display •Dolby Pro-Logic/DTS compatible •Last position memory •Digital anti shock •NTSC/PAL switchable •Included IR remote control •Remote eye •Front panel line level A/V inputs •Rear connections for line level AV inputs and outputs •Multicolor backlit LCD display •Clock •Floor and under-dash mounting brackets •Mfr. #PADVD-610

Order #	(1-3)	(4-up)
60-5435	$129.00	$117.00

Power Acoustik

NEW! NEW! NEW! NEW! NEW! NEW!

PowerAcoustik *Single DIN CD/DVD Player with TV Tuner*

Single DIN head unit plays standard DVDs, CDs, CDRs and CDs recorded in compressed MP3 format. It is an ideal video source unit for any mobile video system. **Features:** •125 channel UHF/VHF TV tuner •Slot loading mechanism supports multiple angle mounting •On screen display •Dolby Pro–Logic/DTS compatible •Last position memory •Digital anti shock •NTSC/PAL switchable •Included IR remote control •Remote eye •Front panel line level A/V inputs •Rear connections for line level AV inputs and outputs •Multicolor backlit LCD display •Clock •Floor and under–dash mounting brackets •Mfr. #PADVD-630T

Order #	(1–3)	(4–up)
60-5440	$169.00	$153.00

Pyle

NEW! NEW! NEW! NEW! NEW! NEW!

PYLE *AM/FM/CD/MP3 Player with USB Port*

Single DIN head unit plays standard CDs, CDRs and CDs recorded in compressed MP3 format. Additionally, the front-panel USB input allows access to files on laptops, portable MP3 players and similar devices. **Features:** •Motorized slide-down detachable face •Multi color LED display with white digits •AM/FM PLL synthesized tuning with 30 station presets •ID3 tag information •Preset EQ •Store/scan/seek tuning modes •Included IR remote control •Electronic control of volume, balance, fader, bass and treble •Internal 40W x 4 channel amplifier •Front/rear line level RCA outputs •Clock •Mfr. #PLCDUSB78MP3

Order #	(1-3)	(4-up)
60-5300	$145.00	$130.50

PYLE *AM/FM/CD/MP3 Player with USB Port*

Single DIN head unit plays standard CDs, CDRs and CDs recorded in compressed MP3 format. Additionally, the front-panel USB input allows access to files on laptops, portable MP3 players and similar devices. **Features:** •XM compatibility •Detachable face •Multi color LED display with white digits •AM/FM PLL synthesized tuning with 30 station presets •ID3 tag information •Preset EQ •Store/scan/seek tuning modes •Included IR remote control •Electronic control of volume, balance, fader, bass and treble •Internal 40W x 4 channel amplifier •Front/rear line level RCA outputs •Clock •Mfr. #PLCD65WXMU

Order #	(1-3)	(4-up)
60-5305	$165.00	$148.50

PYLE *AM/FM/CD/MP3 Player with USB Port*

Single DIN head unit plays standard CDs, CDRs and CDs recorded in compressed MP3 format. Additionally, the front-panel USB input allows access to files on laptops, portable MP3 players and similar devices. **Features:** •Detachable face •Multi color LED display with white digits •AM/FM PLL synthesized tuning with 30 station presets •ID3 tag information •Preset EQ •Store/scan/seek tuning modes •Included IR remote control •Electronic control of volume, balance, fader, bass and treble •Internal 40W x 4 channel amplifier •Line level RCA outputs •Clock •Mfr. #PLCD63WMU

Order #	(1-3)	(4-up)
60-5310	$139.00	$125.50

PYLE *AM/FM/CD/MP3 Player*

Single DIN head unit plays standard CDs, CDRs and CDs recorded in compressed MP3 format. **Features:** •Motorized slide-down detachable face •Multi color LED display with white digits •AM/FM PLL synthesized tuning with 30 station presets •ID3 tag information •Preset EQ •Store/scan/seek tuning modes •Included IR remote control •Electronic control of volume, balance, fader, bass and treble •Internal 40W x 4 channel amplifier •Line level RCA inputs and outputs •Clock •Mfr. #PLCD65MP

Order #	(1-3)	(4-up)
60-5315	$129.00	$116.50

PYLE *AM/FM/CD/MP3 Player*

•Single DIN in-dash unit features an attractive die-cast metal face and is compatible with most vehicles •Fully compatible with MP3 format disks •Fully detachable front panel •One bit D/A convertor •Three-beam laser pick-up •8x oversampling •18FM/12AM station presets •Anti-skip mechanism with electronic loading •Electronic control of volume, bass, treble, fader and balance •Digital clock •160W total maximum output power •RCA preamp output •Includes multi-function IR remote control

Order #	Model #	(1-3)	(4-up)
60-4685	PLCD45MP3	$149.00	$144.00

PYLE *Automotive VCR with TV Tuner*

Full function VCR provides all of the features of standard home units, for the automotive environment. 125 channel tuning allows off air viewing in and mobile video system, plus VHS Hi–Fi recording from the tuner or external A/V sources. **Features:** •VHS Hi–Fi playback •Cable compatibility •Digital audio tracking •Full function IR remote •Remote IR sensor with 16' cable •On screen display •Back lit function buttons •Auto replay •Direct power–on and auto start function •Auto detect SP/EP modes •Auto head cleaning •Includes vehicle mounting hardware •Requires 12VDC •Mfr. #PLTVCP85

Order #	(1–3)	(4–up)
60-5150	$179.00	$159.00

PYLE *AM/FM/Cassette/CD Player*

Single DIN head unit combines an AM/FM tuner and full logic cassette player, with a CD-RW ready CD player. **Features:** •Fully detachable face •PLL synthesized AM/FM tuner •30 station presets •Auto–reverse cassette mechanism •Scan/random/repeat CD modes •Electronic volume/bass/treble/fader control •Loudness control •Full night illumination •Subwoofer level control •RCA line outputs 100W x 2 channel max output •Mfr. #PLCDCS90

Order #	(1–3)	(4–up)
60-5165	$236.25	$212.63

PYLE *AM/FM/CD Player*

Single DIN head unit includes an AM/FM tuner and a CD-RW ready CD player with an attractive die cast aluminum front panel. **Features:** •PLL synthesized tuning with 30 station memory •US and European frequency compatibility •Digital clock •Scan/repeat/random CD modes •Electronic volume/bass/treble/balance/fader control •Loudness control •Full night illumination •RCA line output jacks •40W x 4 channel output •Mfr. #PLCD39

Order #	(1–3)	(4–up)
60-5175	$114.00	$103.16

VISA MasterCard DISCOVER NOVUS American Express Cards NET 30 Terms

Pyramid

NEW! NEW! NEW! NEW! NEW! NEW!

PYRAMID® AM/FM/CD/DVD Player

Single DIN head unit plays standard DVDs, CDs, CDRs and CDs recorded in compressed MP3 format. It is an ideal video source unit for any mobile video system. **Features:** •Fully detachable face •Slot loading mechanism •On screen display •Dolby Pro-Logic/DTS compatible •NTSC/PAL switchable •AM/FM PLL synthesized tuning •Store/scan/seek tuning modes •Included IR remote control •Electronic control of volume, balance, fader, bass and treble •Last position memory •Internal 40W x 4 channel amplifier •Line level L/R and subwoofer RCA outputs •Composite video output •Coaxial digital output •L/R audio and video input •Jumbo multicolor backlit LCD display •Clock •Mfr. #PDVD78

Order #	(1-3)	(4-up)
60-3820	$139.00	$132.00

PYRAMID® AM/FM/CD/DVD Player

Single DIN head unit plays standard DVDs, CDs, CDRs and CDs recorded in compressed MP3 format. It is an ideal video source unit for any mobile video system. **Features:** •Multi function IR remote control •Dolby coaxial digital output •Variable pre-amp volume from remote control •Remote mount infrared eye •Composite video and line level audio outputs •Horizontal or vertical mount •Mounts free standing •Includes dash kit for single DIN mounting •Includes cigarette lighter cord •Dimensions: 1.88" (H) x 5.7" (W) x 6.1" (D) •Mfr. #PDVD42

Order #	(1-3)	(4-up)
60-3828	$99.95	$94.95

PYRAMID® AM/FM/CD/ Player

Single DIN player is the perfect low cost unit for the work truck, occasionally driven vehicles, or for downgrading systems for vehicle resale. **Features:** •Fully detachable front panel •Auto loading CD deck •Repeat/intro CD function •Manual tune AM/FM radio with digital display •Internal 80W x 2 channel amplifier •Mfr. #CDR42DX

Order #	(1–3)	(4–up)
60-3838	$59.95	$56.95

PYRAMID® AM/FM/CD/MP3 Player

Single DIN head unit plays standard CDs, CDRs and CDs recorded in compressed MP3 format. **Features:** •Fully detachable face •Power loading mechanism •AM/FM PLL synthesized tuning •Store/scan/seek tuning modes •Included IR remote control •Electronic control of volume, balance, fader, bass and treble •Internal 40W x 4 channel amplifier •Line level L/R RCA output •Line level L/R RCA input •Jumbo multicolor backlit LCD display •Clock •Mfr. #CDR79MP

Order #	(1-3)	(4-up)
60-3834	$99.95	$94.95

PYRAMID® Single DIN CD/DVD Player w/TV Tuner

Incredibly compact player includes hardware for free standing mount, plus hardware for conventional in–dash single DIN mounting. In addition to conventional DVD functions, this unit also includes a 125 channel TV tuner. It is capable of playing DVDs, CDs, CDRs and CDs recorded in compressed MP3 format. **Features:** •Compact size: 2" (H) x 6" (W) x 5½" (D) •Slot loading mechanism supports multiple angle mounting •40 button IR remote control with remote mounted eye •On screen display •Dolby Pro–Logic/DTS compatible with coaxial digital output •A/V inputs and outputs accept 3.5mm plug, and RCA female adaptors are included •Fused wiring harness for 12VDC automotive installation •Cigarette ligter plug •Adaptor harness for AC adaptor use •Mfr. #PTVD44

Order #	(1–3)	(4–up)
60-3830	$129.00	$122.50

PYRAMID® AM/FM/CD/ Player

Single DIN player is the perfect low cost unit for the work truck, occasionally driven vehicles, or for downgrading systems for vehicle resale. **Features:** •Auto loading CD deck •Rotary tune AM/FM radio with analog dial •Rotary balance tone and volume control •Internal 80W x 2 channel amplifier •Line level output •Mfr. #CDR35FD

Order #	(1–3)	(4–up)
60-3836	$34.95	$33.25

PYRAMID® AM/FM/CD/MP3 Player

•Plays standard CDs plus CDs recorded in compressed MP3 format •Compatible with CD-RW recorded discs •8x oversampling •One bit D/A convertor •Standard single DIN size •Fully detachable face •Auto power loading CD mechanism •Digital PLL AM/FM tuner with 30 station presets •US/European frequency compatibility •Electronic volume, balance, fader, bass and treble control •Power level meter •4 x 40W maximum output •Loudness and mute controls •Clock •RCA line outs

Order #	Mfr. #	(1–3)	(4–up)
60-5215	CDR83MP3	$156.45	$141.75

PYRAMID® Three Way Electronic Crossover

Flexible electronic crossover provides single or dual (front/rear) input, plus separate subwoofer output with boost function. **Features:** •Independent gain controls for front, rear and sub channels •Independent front and rear channel high pass filters •Daisy chain preamp out •12dB/octave slope •Continuously variable crossover settings •Subwoofer: 20Hz~500Hz •Midrange: 100Hz~8KHz •High pass: 1KHz~15KHz •Mfr. #CR74G

Order #	(1-3 prs.)	(4 prs.-up)
60-4645	$41.95	$37.75



PYRAMID® Sub Woofer Electronic Crossover Network

•Remote turn on/off •Selectable crossover points at 50, 90 and 180Hz •Accepts either speaker wire inputs or dual RCA inputs •Input level adjustment to RCA outputs •Sub woofer 12dB bass boost at 45, 80 and 120Hz •Power, ground and remote hook-up terminal •Power on LED indicator •Dimensions: 3⅜" (W) x ⅞" (H) x 5" (D)

Order #	(1-3)	(4-up)
60-1245	$11.50	$10.34

PYRAMID® Three Way ActiveCrossover

•Provides low, midrange and high pass, plus flat outputs, with independent level control •Separate full range and subwoofer inputs •Subwoofer input may be switched off •0/180° subwoofer phase shift •Selectable low pass: 45/80/150/200Hz •Selectable high pass: 2.5/3.5/5.0/7.0KHz •Dimensions: 1.5" (H) x 8.25" (W) x 5.5" (D)

Order #	Mfr. #	(1–3)	(4–up)
60-5220	CR82	$41.95	$37.75

American International AM/FM Signal Amplifier

•Maximize your AM/FM reception •Works with vehicle's standard antenna •Increases signal by 20dB •Red LED indicator lamp •Convenient mounting bracket for in or under dash installation •Requires 12VDC

Order #	(ea.)	(2-9)	(10-up)
60-1670	$10.17	$9.44	$8.68

XM Antennas

Constellation™ Ultra Flat Roof Mount Antenna

Convenient peel–and–stick antenna provides simple, quick and permanent installation, while meeting all XM radio specifications for mobile applications. Ultra sleek, low profile design is only ⅝" high, and 4" diameter, making this ideal where antenna damage, or appearance is a concern. Includes attached 14' of dual RG-178/U cable (satellite and terrestrial), which is terminated with standard FAKRA/SMB connectors.

Order #	Mfr. #	(ea.)	(2–up)
61-510	XM20/CP	$52.45	$47.21

Constellation™ In–Home Antenna System

Perfect for using XM receiver in home or small office environments. Unit is easily wall mounted or attached to a southern exposure windowpane for conventional satellite reception. In some areas where terrestrial repeaters are in use, unit may even be located inside. Internal amplifier is powered via the signal cable eliminating the need to connect a separate power source. Includes attached 35' of dual RG-174/U cable (satellite and terrestrial), which is terminated with standard SMA connector.

Order #	Mfr. #	(ea.)	(2–up)
50-6910	XM9150PNP	$125.00	$112.50

Constellation™ Retail/Commercial Building Antenna System

Perfect for using XM receiver in retail display applications or in commercial office buildings. Provides retailers, automotive dealers and car stereo installers with uninterrupted XM coverate for listening stations, service demos or vehicle installation testing. **Kit contains:** External amplified antenna with mounting bracket, feed cable assemblies and distribution amplifier (dual receiver models). Includes pre assembled RG-58/U cable assemblies.

Order #	Mfr. #	Description	(ea.)	(2–up)
50-6920	XM911	Single receiver, 100' cable lead	$299.00	$269.10
50-6921	XM913	Single receiver, 300' cable lead (each)	549.00	494.10
50-6926	XM923	Dual receiver, 300' cable lead (each)	599.00	539.10

Amplifiers

NEW! NEW! NEW! NEW! NEW! NEW!

PowerAcoustik Class D Series Monoblock Amplifiers



Single channel monoblock amplifiers are ideal for multi-amp autosound systems, especially for powering subwoofers. **Features:** •Remote dash-mount level control with cable •Variable 50Hz~150Hz low pass filter •Variable 15Hz~40Hz subsonic filter •Variable 45Hz subwoofer EQ •0°/180° phase selector •High speed digital circuitry •Fully regulated pulse-width modulated (PWM) power supply •Four-way protection circuit •System distress indicator •1ohm output stability (2ohm in model A1000DB) •Bridging synchronization •Gold plated heavy-duty speaker and power terminals •Dual mono speaker output connectors **Specifications:** •Frequency response: 15Hz~30KHz •S/N ratio: 100dB •THD: 0.5% •Input sensitivity: 200mV~8V •Dimensions: 2.3" (H) x 11" (W) x see chart (L)

Order #	Model	RMS Power Output 4ohm	2ohm	1ohm	Max Output	Length	(1-3)	(4-up)
60-5350	A1000DB	450W	800W	N/A	1000W	10.5"	$229.00	$205.00
60-5351	A1800DB	600W	1100W	1400W	1800W	12.6"	339.00	305.00
60-5352	A2400DB	900W	1400W	1800W	2400W	15"	379.00	342.00
60-5353	A3000DB	1100W	1800W	2300W	3000W	16.8"	445.00	405.00

PowerAcoustik Class A/B Series Amplifiers



These amplifiers are an aesthetic match to the Power Acoustik Class D Series monoblock amplifiers, and are ideal for powering component speaker systems. Their high power output, bridging capability and selectable internal crossover also makes them ideal for full range or subwoofer applications. **Features:** •Full selectable crossover for high pass, low pass or full range operation •Variable 40Hz~120Hz low pass •Variable 150Hz~1500Hz high pass •18db bass boost at 40Hz •2ohm output stability (4ohm bridged) •Full MOSFET power supply with PWM circuitry •Three–way protection circuit •System distress indicator •High level inputs with floating ground •Low level inputs with feed through low level outputs •4AWG power and ground connections **Specifications:** •Frequency response: 10Hz~30KHz •S/N ratio: 97dB •THD: 0.02% •Dimensions: 2.3" (H) x 11" (W) x 11.25" (L)

Order #	Model	RMS Power output 4ohm	2ohm	Max Bridged 4ohm	Output	(1–3)	(4–up)
60-5354	A520-2HP	125W x 2	150W x 2	300W x 1	520W x 1	$89.95	$81.00
60-5355	A600-4HP	70W x 4	85W x 4	170W x 2	300W x 2	109.00	99.00

PowerAcoustik LT Series Stereo and Four Channel Amplifiers

Ideal for single or multi-amp autosound systems, for powering subwoofers or satellite speakers. Sleek extruded aluminum housing is augmented by attractive blue lighting in the side panels **Features:** •Normal or bridged mono operation •Full selectable crossover for high pass, low pass or full range operation •Variable 30Hz~500Hz low pass •Variable 50Hz~500Hz high pass •Variable 24dB bass boost •Variable 60Hz~200Hz subsonic filter •2ohm output stability (4ohm bridged) •Full MOSFET power supply with PWM circuitry •Three-way protection circuit •System distress indicator •Low level inputs with feed through low level outputs •4AWG power and ground connections **Specifications:** •Frequency response: 10Hz~30KHz •S/N ratio: 98dB •THD: 0.02% •Dimensions: 2.25" (H) x 11" (W) x see chart (L)

Order #	Model	RMS Power Output 4ohm	2ohm	Bridged 4ohm	Max Output	Length	(1-3)	(4-up)
60-5360	LT480/2	100W x 2	125W x 2	250W x 1	480W	8.5"	$94.50	$85.25
60-5361	LT620/2	150W x 2	180W x 2	360W x 1	620W	11.25"	109.00	98.25
60-5362	LT980/2	220W x 2	280W x 2	560W x 1	980W	14"	139.00	125.00
60-5363	LT1440/2	300W x 2	360W x 2	720W x 1	1440W	20.5"	189.00	171.00
60-5364	LT1920/2	370W x 2	440W x 2	880W x 1	1920W	22"	215.00	194.00
60-5365	LT720/4	85W x 4	100W x 4	200W x 2	360W x 2	11.25"	129.00	117.00
60-5366	LT960/4	100W x 4	125W x 4	250W x 2	480W x 2	14"	149.00	135.00

PowerAcoustik Gothic Series Stereo and Four Channel Amplifiers

This is an ideal amplifier for single or multi–amp autosound systems, for powering subwoofers or satellite speakers. **Features:** •Standard or bridged operation •Full selectable crossover for high pass, low pass or full range operation •Variable 40Hz~120Hz low pass •Variable 150Hz~1500Hz high pass •18dB bass boost at 40Hz •2ohm output stability (4ohm bridged) •Full MOSFET power supply with PWM circuitry •Three–way protection circuit •System distress indicator •High level inputs with floating ground •Low level inputs with feed through low level outputs •4AWG power and ground connections **Specifications:** •Frequency response: 10Hz~30KHz •S/N ratio: 97dB •THD: 0.02% •Dimensions: 2.25" (H) x 11.25" (W) x see chart (L)

Order #	Model	RMS Power output 4ohm	Max 2ohm	Bridged 4ohm	Output	Length	(1–3)	(4–up)
60-5370	OV2-300	70W x 2	85W x 2	170W x 1	300W	7.25"	$74.95	$67.95
60-5371	OV2-400	85W x 2	105W x 2	210W x 1	400W	8.5"	83.95	75.95
60-5372	OV2-520	125W x 2	150W x 2	300W x 1	520W	11.25"	99.95	89.95
60-5373	OV2-820	180W x 2	230W x 2	460W x 1	820W	14"	135.00	122.00
60-5374	OV2-1200	250W x 2	300W x 2	600W x 1	1200W	20.5"	185.00	167.00
60-5375	OV2-1600	310W x 2	370W x 2	740W x 1	1600W	22"	205.00	185.00
60-5376	OV4-600	70W x 4	85W x 4	170W x 2	300W x 2	11.25"	109.00	99.00
60-5377	OV4-800	85W x 4	105W x 4	210W x 2	400W x 2	14"	135.00	122.00

Amplifiers

NEW! NEW! NEW! NEW! NEW! NEW!

PowerAcoustik Power Series Stereo and Four Channel Amplifiers

The Power Series is designed to provide one of the best cost/performance values on the market, and is the undisputed choice when clean sound and high output are the priority. Available in two or four channel configurations, these are perfect in moderate full range systems as well as large multi amp installations. **Features:** •Normal or bridged operation (except PS2-120 and PS4-240) Full selectable crossover for high pass, low pass or full range operation •Variable 40Hz~120Hz low pass •Variable 150Hz~1500Hz high pass 18dB bass boost at 40Hz •2ohm output stability •Full MOSFET power supply with PWM circuitry •Three–way protection circuit •System distress indicator •High level inputs with floating ground •Low level inputs with feed through low level outputs •4AWG power and ground connections **Specifications:** •Frequency response: 10Hz~30KHz •S/N ratio: 97dB •THD: 0.02% •Dimensions: 2.25" (H) x 11.25" (W) x see chart (L)

Order #	Model	RMS Power output 4ohm	Max 2ohm	Bridged 4ohm	Output	Length	(1–3)	(4–up)
60-5380	PS2-120	35W x 2	45W x 2	N/A	N/A	5"	$33.95	$30.75
60-5381	PS2-300	70W x 2	85W x 2	170W x 1	300W	7.25"	65.95	59.50
60-5382	PS2-400	85W x 2	105W x 2	210W x 1	400W	8.25"	73.95	66.75
60-5383	PS2-520	125W x 2	150W x 2	300W x 1	520W	11.25"	91.95	82.95
60-5384	PS2-820	180W x 2	230W x 2	460W x 1	820W	14"	119.00	108.00
60-5385	PS2-1200	250W x 2	300W x 2	600W x 1	1200W	20.5"	165.00	149.00
60-5386	PS2-1600	310W x 2	370W x 2	740W x 1	1600W x 1	22"	185.00	167.00
60-5387	PS4-240	35W x 4	45W x 4	N/A	N/A	7"	47.95	44.00
50-5388	PS4-600	70W x 4	85W x 4	170W x 2	300W x 2	11.25"	99.95	89.95
50-5389	PS4-800	85W x 4	105W x 4	210W x 2	400W x 2	14"	119.00	108.00

PYLE Dryver Series High Current Amplifiers

This is the ideal series of amplifiers for individual or multi amp systems, for street listening or competition use. Models available in two, four and six channel configurations, all bridgeable, ensure that a unit is available to suit your needs. **Features:** •2ohm stable, 4ohm bridged •Variable high and low pass crossovers •Dual crossovers in four channel models •Variable bass boost at 60Hz with dash mount remote control •Gold plated line level inputs •Speaker level inputs •Variable gain control •Remote turn–on •Soft start •Overload/thermal/short circuit protection **Specifications:** •THD: <0.04% •S/N ratio: >90dB •Channel separation: >65dB •Dimensions: 2.74" (H) x see chart (W) x 8.6" (D)

Order #	Model #	Power Output RMS @4ohm	Peak @4ohm	Bridged peak @4ohm	RMS @2ohm	Length	(1–3)	(4–up)
60-5320	PLAD212	100W x 2 CH	200W x 2 CH	400W x 1 CH	175W x 2 CH	7"	$84.95	$76.50
60-5321	PLAD213	150W x 2 CH	300W x 2 CH	600W x 1 CH	250W x 2 CH	8.7"	109.00	98.50
60-5322	PLAD214	250W x 2 CH	400W x 2 CH	900W x 1 CH	400W x 2 CH	9.8"	139.00	125.00
60-5323	PLAD215	500W x 2 CH	1000W x 2 CH	1300W x 1 CH	700W x 2 CH	17. 7"	209.00	189.00
60-5324	PLAD412	100W x 4 CH	200W x 4 CH	400W x 2 CH	150W x 4 CH	11.4"	129.00	117.00
60-5325	PLAD413	200W x 4 CH	400W x 4 CH	800W x 2 CH	350W x 2 CH	12.6"	159.00	145.00
60-5326	PLAD618	100W x 4 CH plus 250W x 2 CH	200W x 4 CH plus 500W x 2 CH	400W x 2 CH plus 900W x 1CH	175W x 4 CH plus 400W x 2 CH	19.7"	265.00	239.00



PYLE Elite Red Label Series Amplifiers

With models available in two and four channel configurations, this amplifier series will meet a wide variety of needs. **Features:** •Bridging capability •Variable high and low pass crossovers •Dual crossovers in four channel models •Variable bass boost at 60Hz with dash mount remote control (except on #60-5330 and #60-5336) •Gold plated line level inputs •Speaker level inputs •Variable gain control •Remote turn–on •Soft start •Overload/thermal/short circuit protection **Specifications:** •THD: <0.04% •S/N ratio: >95dB •Frequency response: 15Hz~30KHz •Dimensions: 2.7" (H) x see chart (W) x 10.9" (D)

Order #	Model #	Power Output Peak x 2 CH	Peak Bridged	Length	(1–3)	(4–up)
60-5330	PLA2180	300W x 2 CH	600W x 1 CH	8.25"	$81.95	$74.95
60-5331	PLA2280	500W x 2 CH	1000W x 1 CH	12"	115.00	105.00
60-5332	PLA2380	700W x 2 CH	1400W x 1 CH	13.5"	135.00	125.00
60-5333	PLA2480	800W x 2 CH	1600W x 1 CH	15"	149.00	135.00
60-5334	PLA2580	900W x 2 CH	1800W x 1 CH	17"	169.00	155.00
60-5335	PLA2680	1200W x 2 CH	2400W x 1 CH	19"	199.00	179.00
60-5336	PLA4180	250W x 4 CH	500W x 2 CH	12"	235.00	212.00
60-5337	PLA4280	350W x 4 CH	700W x 2 CH	15"	149.00	135.00
60-5338	PLA4380	500W x 4 CH	1000W x 2 CH	17"	185.00	167.00

PowerAcoustik 7 Band Graphic Equalizer/Pre–Amp

½ DIN size equalizer provides precise control of the following frequency ranges, 60Hz, 150Hz, 400Hz, 1KHz, 2.5KHz, 6KHz and 15KHz. Boost/cut range of each band is +/- 12dB. **Features include:** •Subwoofer crossover with RCA outputs •Selectable subwoofer crossover point 80Hz/150Hz •Front/rear RCA line outputs •Front/rear fader •LED level indicator •Full night illumination •Hi/low level inputs •Mfr. #PEQ-70

Order #	(1–3)	(4–up)
60-8700	$42.37	$36.32

NEW! NEW! NEW!

PYLE Dryver Monoblock Amplifiers

Essential for driving that earth moving subwoofer to its fullest potential. This massive single channel amplifier is stable to 1.3ohm, enabling it to power multiple drivers with ease. **Features:** •Pulse width modulated power supply •Variable 24dB/octave low pass filter, 50Hz~150Hz •Variable 24dB/octave subsonic filter, 15Hz~40Hz •Variable bass boost at with dash mount remote control •Continuously variable phase adjustment, 0~180° •Gold plated line level inputs •Variable gain control •Remote turn–on •Soft start •Overload/thermal/short circuit protection **Specifications:** •Power output: 600W RMS @4ohm, 1200W RMS @2ohm, 3600W peak @1.3ohm •THD: <0.1% •S/N ratio: >90dB •Dimensions: 2.74" (H) x 15" (W) x 8.6" (D)

Order #	Model #	(1–3)	(4–up)
60-5327	PLAD3300D	$279.00	$252.00



Red Label Elite Series Monoblock Amplifier

One ohm stable amplifier is designed to drive single or multiple subs to their fullest potential. This massive single channel amplifier is stable to 1ohm, enabling it to power multiple drivers with ease. **Features:** •Pulse width modulated power supply •Variable 24dB/octave subsonic filter •Variable bass boost at with dash mount remote control •Continuously variable phase adjustment, 0~180° •Gold plated line level inputs •Variable gain control •Remote turn-on •Soft start •Overload/thermal/short circuit protection **Specifications:** •Power output: 2400W peak @1ohm •S/N ratio: >90dB •Dimensions: 2.7" (H) x 15" (W) x 10.9" (D)

Order #	Model #	(1-3)	(4-up)
60-5339	PLA3000D	$235.00	$215.00

Amplifiers

NEW! NEW! NEW! NEW! NEW! NEW!

PYLE Wave Series Seven Band Equalizer/Amplifier

Combination EQ/amplifier provides 100W x 2 channels output max. Rotary control equalizer provides 12dB gain/cut adjustment to the following frequencies: 65Hz, 150Hz, 400Hz, 1.4KHz, 2.4KHz, 6KHz and 15KHz. Subwoofer preamp output controls include 40~100Hz adjustable crossover, with gain adjustment from 0~18dB. Subwoofer line outputs provide signal to separate subwoofer amplifier. **Other features include:** •18 segment LED bargraph display •2/4 speaker hook-up with front/rear fader control •Line level inputs •Mfr. #PLE702B

Order #	(1-3)	(4-up)
60-4131	$58.85	$53.01

PYLE Plus Series Five Band Parametric Equalizer

Rotary control equalizer/preamplifier features six channel RCA outputs for front, rear and subwoofer amplifier connections. Parametric design allows center frequencies of five separate bands to be adjusted to suite various types of music and personal taste. Four position slide switches allow 12dB boost/cut in the following frequency ranges: •Band 1: 25~80Hz •Band 2: 150~300Hz •Band 3: 600~1200Hz •Band 4: 2.1~4.2KHz •Band 5: 7~15KHz subwoofer output controls include 40~100Hz adjustable crossover, with gain adjustment from 0~12dB. 18 segment LED bargraph display shows relative level output. **Other features include:** •Input selection from two sources •Input gain adjustment •Remote power on/off **Specifications**: •S/N ratio: >90dB •Frequency response: 15Hz~30KHz •Mfr. #PLE520P

Order #	(1-3)	(4-up)
60-4121	$69.56	$62.65

LEGACY 12 Band Pre-Amp Equalizer with Subwoofer Out

•5 band front equalizer settings •7 band rear equalizer settings •Fader slider/sub-woofer boost control with active electronics adjustable crossover •Compact ½ DIN chasis size •2 RCA radio signal inputs •6 RCA signal outputs •Electronic crossover adjustable to 80, 120 or 180Hz @ 12db •Octave slope 2nd order butterworth circuit front frequency control with 10db boost at: 150, 400, 1K, 2K, 4K, 10KHz •Rear frequency controls with 12db boost at: 60, 150, 400, 1, 2, 6, 15Hz •Remote start output for amp activation •Frequency responsive: 20Hz~20KHz •S/N ratio: >90db (A-wtd) •Dimension: 7" (W) x 6" (D) x 1" (H)

Order #	(1-3)	(4-up)
LEQ12A	$72.06	$64.17

PYLE Blue Wave Series Amplifiers

With models available in two, four and five channel configurations, this amplifier series will meet a wide variety of needs. **Features:** •Bridging capability •Variable high and low pass crossovers •Dual crossovers in four channel models •Variable bass boost at 60Hz with dash mount remote control (select model #s ending in "R" for those including remote) •Gold plated line level inputs •Speaker level inputs •Variable gain control •Remote turn-on •Soft start •Overload/thermal/short circuit protection **Specifications:** •THD: <0.04% •S/N ratio: >95dB •Frequency response: 15Hz~30KHz •Dimensions: 2.7" (H) x see chart (W) x 10.9" (D)

Order #	Model #	Power Output Peak x 2 CH	Power Output Peak Bridged	Length	(1-3)	(4-up)
60-5340	PLA485	300W x 2 CH	600W x 1 CH	8.25"	$79.95	$71.95
60-5341	PLA585R	350W x 2 CH	700W x 1 CH	12"	109.00	99.00
60-5342	PLA785	400W x 2 CH	800W x 1 CH	13.5"	94.95	86.00
60-5343	PLA885	250W x 4 CH	500W x 2 CH	15"	119.00	109.00
60-5344	PLA985R	500W x 2 CH	1000W x 1 CH	17"	115.00	105.00
60-5345	PLA1085	350W x 4 CH	700W x 2 CH	19"	145.00	131.00
60-5346	PLA1285	700W x 2 CH	1400W x 1 CH	12"	129.00	117.00
60-5347	PLA1485R	400W x 4 CH	800W x 2 CH	15"	159.00	145.00
60-5348	PLA1585	250W x 4 CH plus 400W x 1 CH	500W x 2 CH plus 400W x 1 CH	17"	169.00	155.00

PYRAMID Royal Blue Series Two and Four Channel Amplifiers

This extensive series of amplifiers features attractive blue light top cover illumination, for looks to match their performance. They are ideal in stand alone and multi amp systems. **Features:** •Bridging capability •Variable high and low pass crossovers (excluding #60-3890 and #60-3891) •Dual crossovers in four channel models •Variable 0~18dB bass boost at 60Hz (excluding #60-3890 and #60-3891) •Remote dash mounted bass boost control on select models •Gold plated line level inputs •Speaker level inputs •Variable gain control •Remote turn-on •Overload/thermal/short circuit protection •Power on LED **Specifications:** •THD: <0.04% •S/N ratio: >95dB •Dimensions: .3.5" (H) x see chart (W) x 10.9" (D)

Order #	Model #	Power Output Max Bridged	Power Output Max Per Channel	Remote Bass Boost	Length	(1-3)	(4-up)
60-3890	PB136GX	N/A	120W x 2 CH	No	8.25"	$39.95	$37.95
60-3891	PB236GX	N/A	100W x 4 CH	No	9.25"	49.95	47.50
60-3892	PB336GX	600W x 1 CH	300W x 2 CH	No	8.25"	74.95	71.25
60-3893	PB536GX	800W x 1 CH	400W x 2 Ch	Yes	9.25"	84.95	80.75
60-3894	PB636GX	500W x 2 CH	250W x 4CH	No	12"	109.00	103.50
60-3895	PB736GX	1000 x 1 CH	500W x 2 CH	Yes	13.5"	99.95	94.95
60-3896	PB836GX	800W x 2 CH	400W x 4 CH	Yes	15"	129.00	122.50
60-3897	PB936GX	1200W x 1 CH	600W x 2 CH	Yes	13.5"	119.00	113.25
60-3898	PB1036GX	1000W x 2 CH	500W x 4 CH	Yes	17"	159.00	151.25
60-3899	PB1236GX	1600W x 1 CH	800W x 2 CH	Yes	15"	129.00	122.75
60-3900	PB1836GX	2400W x 1 CH	1200W x 2 CH	Yes	17"	159.00	151.25

PYRAMID Royal Red Series Two and Four Channel Amplifiers

These amplifiers feature attractive chrome and red design, with Plexiglas cover plate, providing looks that are as attractive as the performance. Full MOSFET two or four channel amplifiers are ideal in stand alone and multi amp systems. **Features:** •Built in crossover with full range, low pass and high pass operation •Dual crossovers in four channel models •Continuously variable 35~350Hz low pass •Continuously variable 60Hz~2.5KHz high pass •Variable 0~18dB bass boost at 60Hz •Remote dash mounted bass boost control (not included on PB445X and PB645X) •Output stable to 2ohm •Bridging capability •Gold plated line level inputs •Speaker level inputs •Variable gain control •Remote turn–on •Overload/thermal/short circuit protection •Power on LED **Specifications:** •Frequency response: 15Hz~30KHz •Dimensions: 2.5" (H) x see chart (W) x 11.8" (D)

Order #	Model #	Power Output Max Bridged	Power Output Max Per Channel	Power Output RMS @ 2ohm	Power Output RMS @ 4ohm	Length	(1–3)	(4–up)
60-3910	PB445X	600W	300W x 2 CH	60W x 2 CH	40W x 2 CH	10.2"	$74.95	$71.25
60-3911	PB545X	800W	400W x 2 CH	80W x 2 CH	50W x 2 CH	11.6"	84.95	80.75
60-3912	PB645X	500W x 2 CH	250W x 4 CH	55W x 4 CH	35W x 4 CH	13.9"	105.00	99.95
60-3913	PB845X	600W x 2 CH	300W x 4 CH	60W x 4 CH	50W x 4 CH	14.9"	125.00	118.75
60-3914	PB945X	1000W	500W x 2 CH	120W x 2 CH	80W x 2 CH	13.9"	99.95	94.95
60-3915	PB1045X	800W x 2 CH	400W x 4 CH	110W x 2 CH	75W x 4 CH	18.7"	139.00	132.25
60-3916	PB1845X	1000W x 2 CH	500W x 4 CH	200W x 4 CH	125W x 4 CH	19.6"	159.00	151.25

Amplifiers

NEW! NEW! NEW! NEW! NEW! NEW!

PYRAMID® Power Series MOSFET Amplifiers

Two and four channel amplifiers are ideal for single and multi amp systems, especially when separate subwoofer is used. **Features:** •MOSFET power supply •Bridging capability •2ohm stability •Variable gain control •Remote turn–on •Switchable subwoofer crossover, adjustable from 50~150Hz (PB-612X has two crossovers, fixed at 200Hz) •Gold plated line inputs •Overload/thermal/short circuit protection •Power on LED •LED diagnostic condition indicator **Specifications:** •S/N ratio: >90dB •Frequency response: 15Hz~30KHz •THD: >0.04% •Dimensions: 2.17" (H) x see chart (L) x 8.35" (D)

Order #	Model #	Power Output (4ohm) Max	RMS	Bridged	Length	(1–3)	(4–up)
60-3920	PB-412X	300W x 2 CH	45W x 2 CH	90W	8.27"	$54.95	$52.25
60-3921	PB-612X	250W x 4 CH	50W x 4 CH	100W x 2 CH	13.78"	99.95	94.95
60-3922	PB-712X	500W x 2 CH	75W x 2 CH	150W	9.85"	64.95	61.75
60-3923	PB-1212X	800W x 2 CH	100W x 2 CH	200W	12.6"	91.95	87.50

PYRAMID®

America Series MOSFET Amplifiers

Ideal as a stand alone full range amplifier, or to drive a subwoofer in multi amp systems, these rugged, well built amplifiers are available in two and four channel configurations, to suit a variety of needs. **Features:** •MOSFET power supply •Output stable to 2ohm •Bridgeable •Selectable full range, low pass or high pass operation •Continuously variable 80Hz~2.5KHz high pass crossover •Continuously variable 40~350Hz low pass crossover •0~12dB bass boost at 60Hz •Speaker level inputs •Gold plated line level inputs •Variable gain control •Remote turn–on •Overload/thermal/short circuit protection •Power on LED **Specifications:** •Frequency response: 10Hz~30KHz •Dimensions: 2.28" (H) x see chart (W) x 10.23" (D)

Order #	Model #	Power Output Max Bridged	Power Output Max Per Channel	Power Output RMS @ 2ohm	Power Output RMS @ 4ohm	Length	(1–3)	(4–up)
60-3930	PB360	200W	200W x 2 CH	100W x 2 CH	70W x 2 CH	5.63"	$59.95	$56.95
60-3931	PB460	600W	300W x 2 CH	150W x 2 CH	100W x 2 CH	8.27"	69.95	66.50
60-3932	PB560	800W	400W x 2 CH	200W x 2 CH	140W x 2 CH	9.84"	75.95	72.25
60-3933	PB760	600W x 2 CH	300W x 4 CH	150W x 4 CH	100W x 4 CH	14.76"	109.00	104.00
60-3934	PB1860	900W x 2 CH	450W x 4 CH	270W x 4 CH	140W x 4 CH	19.01"	149.00	142.00

PYRAMID® Pro Plus Series Amplifiers

Simple compact amplifiers are ideal for driving single or two pairs of speakers, or subwoofers. They are perfect for compact, low–cost systems, or when adding pairs of speakers to an existing system. **Features:** •Speaker level inputs (except PB450PX) •Gold plated line level inputs •Adjustable gain control Remote turn-on •Overload/thermal/short circuit protection •Power on LED **Specifications:** •S/N ratio: >85dB •Frequency response: 20Hz~30KHz •THD: <0.5%

Order #	Model #	Max Power Output	Dimensions (H) x (W) x (D)	(1–3)	(4–up)
60-3945	PB-110PX	120W x 2 CH	2" x 5.25" x 7.9"	$29.95	$28.50
60-3946	PB-180Px	75W x 4 CH	2" x 8" x 7.9"	39.95	37.95
60-3947	PB-230PX	50W x 2CH + 100W x 2 CH	2" x 6.75" x 7.9"	44.95	42.75
60-3948	PB-450PX	125W x 4 CH	2.5" x 10" x 9.4"	69.95	66.50

PYRAMID® Subwoofer Crossover

Versatile compact unit accepts line or speaker level input, and provides line level, low pass output, suitable for driving a dedicated subwoofer amplifier. High impedance speaker level input (100ohm) allows connection to existing systems without additional measurable load on the amplifier. **Features:** •Floating ground speaker level inputs •Gold plated line level inputs and outputs •Selectable low–pass frequency of 60Hz, 120Hz or 180Hz •Selectable 12dB bass boost at 50Hz, 80Hz or 120Hz •Independent left/right gain adjustment •Remote turn–on •Dimensions: ⅞" (H) x 5.5" (W) x 3" (D)

Order #	Model #	(1–3)	(4–up)
60-3950	CR65	$11.95	$11.50

PYRAMID® Three–Way Crossover with Remote Subwoofer Control

Versatile three–way crossover provides complete low pass, band pass and high pass control of high–end automotive systems utilizing at least six amplifier channels. Independent line level inputs for low pass, front and rear, allow full advantage of head units having six output channels. Low pass mix/direct selector enables use with head units having no subwoofer output. Remote dash mount control allows remote control of subwoofer Q and level. **Features:** **Low pass output:** •Selectable mix/direct mode •Continuously variable 40Hz~4.2KHz crossover frequency •Adjustable 0~18dB bass boost •Adjustable 25~250Hz boost frequency •Continuously variable 0~180° phase adjustment •Gain control **Rear output :** •Selectable high pass/band pass modes •Continuously variable 65Hz~4.5KHz high pass crossover frequency •Continuously variable 300Hz~4.6KHz low pass crossover frequency •Gain control **Front output:** •Continuously variable 65Hz~4.5KHz high pass crossover frequency •Gain control

Order #	Model #	(1–3)	(4–up)
60-3955	CR-71	$47.95	$45.50

PYRAMID®

Super Blue Series Amplifiers

Ideal when cost conscious performance is a must. **Features:** •MOSFET power supply •Bridging capability on noted models •2ohm stability on noted models •Variable gain control •Remote turn–on •Built–in bass and treble control •Gold plated line inputs •Overload/thermal/short circuit protection •Power on LED •LED diagnostic condition indicator **Specifications:** •S/N ratio: >90dB •Frequency response: 15Hz~30KHz •THD: >0.04% •Dimensions: 2¼" (H) x see chart (W) x 10½" (D)

Order #	Model #	Max Power Output	2ohm Stable	Bridged Output	Length	(1–3)	(4–up)
60-4770	PB440X	120W x 2 CH	N	–	9"	$32.99	$29.50
60-4771	PB442X	75W x 4 CH	N	–	9"	49.99	47.50
60-4772	PB444X	200W x 2 CH	Y	400W	9"	59.99	54.50
60-4773	PB446X	300W x 2 CH	Y	600W	12"	69.99	67.50
60-4774	PB448X	250W x 4 CH	Y	500W x 2 CH	15⅝"	99.99	97.50
60-4775	PB449X	500W x 2 CH	Y	1000W	15¼"	84.99	79.50
60-4776	PB559X	800W x 2 CH	Y	1600W	16¼"	64.95	61.75
60-4777	PB779X	1000W x 2 CH	Y	2000W	17½"	119.00	114.00

PYLE Wave Series Subwoofer Crossover

The perfect addition to your multi channel amp installation when a subwoofer is utilized. **Features include:** •High and low level inputs •Low level outputs •Selectable crossover points of 50Hz, 90Hz and 180Hz •Switchable 12dB bass boost at 45Hz, 80Hz or 120Hz •Variable gain adjustment •Remote turn-on with LED power indicator •Mfr. #PLXR2

Order #	(1-3)	(4-up)
60-4135	$16.75	$15.23

Amplifiers



PYRAMID®

Two Channel 600 Watt Amplifier

•300W x 2 channel maximum output •600W bridged mono •MOSFET power supply •Variable hi/lo electronic crossover •Variable 0~18dB bass boost at 60Hz •Variable input gain •Remote tourn on •Gold plated RCA line level inputs •Molex type high level inputs •S/N ratio: 95dB •THD: < 0.04% •Overload/thermal/short circuit protection •Power on LED indicator

Order #	Model #	(1–3)	(4–up)
60-5227	PB481X	$83.95	$75.55

PYRAMID®

Two Channel 1600 Watt Amplifier

•800W x 2 channel maximum output •1600W bridged mono •Remote bass boost control •MOSFET power supply •Variable hi/lo electronic crossover •Variable 0~18dB bass boost at 60Hz •Variable input gain •Remote turn on •Gold plated RCA line level inputs •Molex type high level inputs •S/N ratio: 95dB •THD: < 0.04% •Overload/thermal/short circuit protection •Power on LED indicator

Order #	Model #	(1–3)	(4–up)
60-5225	PB1281X	$131.25	$118.13

PYRAMID®

Two Channel 1000 Watt Amplifier

•500W x 2 channel maximum output •1000W bridged mono •MOSFET power supply •Variable hi/lo electronic crossover •Variable 0~18dB bass boost at 60Hz •Variable input gain •Remote turn on •Gold plated RCA line level inputs •Molex type high level inputs •S/N ratio: 95dB •THD: < 0.04% •Overload/thermal/short circuit protection •Power on LED indicator

Order #	Model #	(1–3)	(4–up)
60-5229	PB781X	$99.70	$89.78



PYRAMID®

Four Channel 1200 Watt Amplifier

•Tri–mode configurable 2/3/4 channel •250W x 4 channel maximum output •500W x 2 channels bridged •MOSFET power supply •Dual variable hi/lo electronic crossovers •Dual variable 0~18dB bass boost at 60Hz •Variable input gain •Remote turn on •Gold plated RCA line level inputs •Molex type high level inputs •S/N ratio: 95dB •THD: < 0.04% •Overload/thermal/short circuit protection •Soft start turn–on •Power on LED indicator

Order #	Model #	(1–3)	(4–up)
60-5230	PB881X	$141.75	$127.58



PYRAMID®

Four Channel 1000 Watt Amplifier

•Tri–mode configurable 2/3/4 channel •250W x 4 channel maximum output •500W x 2 channels bridged •MOSFET power supply •Dual variable hi/lo electronic crossovers •Dual variable 0~18dB bass boost at 60Hz •Variable input gain •Remote turn on •Gold plated RCA line level inputs •Molex type high level inputs •S/N ratio: 95dB •THD: < 0.04% •Overload/thermal/short circuit protection •Soft start turn–on •Power on LED indicator

Order #	Model #	(1–3)	(4–up)
60-5228	PB681X	$124.95	$112.35

PYRAMID®

Four Channel 1800 Watt Amplifier

•Tri–mode configurable 2/3/4 channel •Remote bass boost control •450W x 4 channel maximum output •900W x 2 channels bridged •MOSFET power supply •Dual variable hi/lo electronic crossovers •Dual variable 0~18dB bass boost at 60Hz •Variable input gain •Remote turn on •Gold plated RCA line level inputs •Molex type high level inputs •S/N ratio: 95dB •THD: < 0.04% •Overload/thermal/short circuit protection •Soft start turn–on •Power on LED indicator

Order #	Model #	(1–3)	(4–up)
60-5226	PB1881X	$173.25	$156.45

Automotive Speakers

NEW! NEW! NEW! NEW! NEW! NEW! NEW! NEW! NEW!

PowerAcoustik

3½" Two–Way Speaker Pair

Part of Power Acoustik's XP2K Series, this speaker pair is designed to provide extremely smooth, natural sound at a tremendous price. Compact size is popular in door and dash installations. Designed for replacement/upgrade of original factory speakers, grills and mounting hardware are not included.
Features: •Stamped frame with black chrome plating •Gray metallic four layer cotton fiber cone with poly resin coating •Rubber surround •Rubber boot magnet cover •Mylar dome tweeter
Specifications: •Power capacity: 100W max •Frequency response: 90Hz~20KHz •Impedance: 4ohm •0.75" aluminum voice coil (woofer) •6 oz. magnet •SPL: 90B (W/M) •Mfr. #XP2K-32

Order #	(1–3 prs.)	(4 prs.–up)
51-1207	$14.95	$13.95

PowerAcoustik

XP2K Series Automotive Speaker Pairs

Designed to provide extremely smooth, natural sound at a tremendous price, these complete kits include the speaker pair, grills and all required mounting hardware for most installations.
Features: •Stamped frame with black chrome plating •Gray metallic four layer cotton fiber cone with poly resin coating •Rubber surround •High temperature 4ohm aluminum voice coils •Rubber boot magnet cover •Polymide dome midrange •Mylar dome tweeter •Piezo super tweeter (four way models) •For additional details, and individual photos, see www.mcminone.com

Order #	Mfr. #	Description	Power Capacity (max)	Frequency Response	(1–3 prs.)	(4 prs.–up)
51-1200	XP2K-694	6" x 9" four–way	320W	45Hz~18KHz	$46.95	$42.50
51-1201	XP2K-693	6" x 9" three–way	300W	45Hz~20KHz	45.95	41.50
51-1202	XP2K-691	6" x 9" three–way	250W	50Hz~20KHz	39.95	35.99
51-1203	XP2K-653	6½" three–way	200W	60Hz~20KHz	32.95	30.79
51-1204	XP2K-652	6½" two–way	160W	70Hz~20KHz	27.95	25.25
51-1205	XP2K-52	5¼" two–way	140W	75Hz~20KHz	24.95	22.50
51-1206	XP2K-42	4" two–way	110W	90Hz~20KHz	19.95	17.95
51-1208	XP2K-573	5" x 7" two–way	160W	70Hz~20KHz	31.95	28.79
51-1209	XP2K-4102	4" x 10" two–way	250W	45Hz~18KHz	32.95	30.79

VISA MasterCard DISCOVER NOVUS American Express Cards NET 30 Terms

Automotive Speakers

NEW! NEW! NEW! NEW! NEW! NEW!

PYLE Blue Label Automotive Speaker Pairs

These two, three and four way speaker pairs are designed for direct factory replacement in common OEM locations. The attractive blue poly cone provides enhanced appearance with superior performance and resistance to the elements. **Features:** •Rubber surround •High temperature 4ohm aluminum voice coils •Neodymium film dome midrange (applicable models) •Neodymium film dome tweeter (two-way models) •Piezo super tweeter (three and four way models) •All models include grills, mounting hardware and speaker wire •**Sold in pairs**

Order #	Mfr. #	Description	Power Capacity (max)	Frequency Response	(1-3 prs.)	(4 prs.-up)
51-1100	PL42BL	4" 2-way	180W	110Hz~20KHz	$15.99	$14.39
51-1101	PL53BL	5⅛" 3-way	200W	100Hz~20KHz	17.59	15.95
51-1102	PL463BL	4" x 6" 3-way	240W	95Hz~20KHz	17.59	15.95
51-1103	PL63BL	6½" 3-way	360W	90Hz~20KHz	19.95	17.95
51-1104	PL573BL	5" x 7" 3-way	300W	80Hz~20KHz	22.49	20.50
51-1105	PL683BL	6" x 8" 3-way	360W	70Hz~20KHz	29.95	26.95
51-1106	PL6984BL	6" x 9" 4-way	400W	50Hz~20KHz	31.90	28.71

PYLE Blue Label Automotive Speaker Pairs

These two, three and four way speaker pairs are designed for direct factory replacement in common OEM locations. The attractive blue poly cone provides enhanced appearance with superior performance and resistance to the elements. **Features:** •Rubber surround •High temperature 4ohm aluminum voice coils •Neodymium film dome midrange (applicable models) •Neodymium film dome tweeter (two-way models) •Piezo super tweeter (three and four way models) •All models include grills, mounting hardware and speaker wire •**Sold in pairs**

Order #	Mfr. #	Description	Power Capacity (max)	Frequency Response	(1-3 prs.)	(4 prs.-up)
51-1110	PLRL42	4" 2-way	140W	50Hz~20KHz	$13.50	$12.25
51-1111	PLRL52	5⅛" 2-way	160W	56Hz~20KHz	15.95	14.50
51-1112	PLRL462	4" x 6" 2-way	180W	66Hz~20KHz	16.95	15.26
51-1113	PLRL62	6½" 2-way	200W	66Hz~20KHz	17.99	16.19
51-1114	PLRL572	5" x 7" 2-way	200W	50Hz~20KHz	23.99	21.59
51-1115	PLRL693	6" x 9" 3-way	400W	45Hz~20KHz	26.99	24.29

PYLE Eternal Series Automotive Speaker Pairs

These two and three way speaker pairs feature a specially designed poly/mica composite cone and non-fatiguing butyl rubber surround. Standard sizes are direct replacement for most OEM vehicle locations. **Features:** •High temperature 4ohm aluminum voice coil •High density barium ferrite magnet •Film dome midrange (applicable models) •Mylar dome tweeter •All models include grills, mounting hardware and speaker wire •**Sold in pairs**

Order #	Mfr. #	Description	Power Capacity (max)	Frequency Response	(1-3 prs.)	(4 prs.-up)
51-1130	PLE4.2	4" 2-way	180W	85Hz~20KHz	$29.95	$26.95
51-1131	PLE46.2	4" x 6" 2-way	240W	55Hz~23KHz	34.95	31.50
51-1132	PLE5.2	5¼" 2-way	200W	80Hz~20KHz	29.95	27.00
51-1133	PLE6.2	6½" 2-way	360W	55Hz~20KHz	34.95	31.50
51-1134	PLE68.2	6" x 8" 2-way	360W	55Hz~23KHz	39.95	36.00
51-1135	PLE69.2	6" x 9" 2-way	400W	45Hz~23KHz	49.95	45.00
51-1136	PLE69.3	6" x 9" 3-way	480W	45Hz~25KHz	51.95	46.95

PYLE 6.5" OEM Replacement Two–Way Speaker Pair

•Ultra thin magnet structure allows direct drop–in replacement for most factory speakers •Includes all mounting hardware and grills •Poly mica coated woofer cone •1" high temperature voice coil •Neodymium tweeter with mylar dome •Power capacity: 140W/280W RMS/peak •Impedance: 4ohm •Frequency response: 50Hz~22KHz •**Sold in pairs**

Order #	Model #	(1–3 prs.)	(4 prs. –up)
51-1033	PLS60	$31.24	$28.09

PYLE 4" OEM Replacement Two–Way Speaker Pair

•Ultra thin magnet structure allows direct drop–in replacement for most factory speakers •Includes all mounting hardware and grills •Poly mica coated woofer cone •1" high temperature voice coil •Neodymium tweeter with mylar dome •Power capacity: 75W/150W RMS/peak •Impedance: 4ohm •Frequency response: 60Hz~20KHz •**Sold in pairs**

Order #	Model #	(1–3 prs.)	(4 prs. –up)
51-1030	PLS40	$23.89	$21.53

NEW! NEW! NEW!

PowerAcoustik 4" x 6" Two-Way Component Speaker Pair

Part of Power Acoustik's XP2K Series, this speaker is designed to provide extremely smooth, natural sound at a tremendous price. This high-end two way design incorporates features typically found in home theater systems. Designed for replacement/upgrade of original factory speakers, this unit does not include a grill or mounting hardware. **Features:** •1" pivoting soft dome tweeter •Gray metallic four layer cotton fiber cone woofer with poly resin coating •6dB/octave crossover •Rubber surround •Rubber boot magnet cover **Specifications:** •Power capacity: 140W max •Frequency response: 200Hz~22KHz •Impedance: 4ohm •0.75" aluminum voice coil (woofer) •8 oz. magnet •SPL: 91B (W/M) •Mfr. #XP2K-465P

Order #	(1-3 prs.)	(4 prs.-up)
51-1211	$32.95	$30.79

PowerAcoustik 4" x 6" Two-Way Speaker

Part of Power Acoustik's XP2K Series, this speaker is designed to provide extremely smooth, natural sound at a tremendous price. Designed for replacement/upgrade of original factory speakers, this unit does not include a grill or mounting hardware. **Features:** •Stamped frame with black chrome plating •Gray metallic four layer cotton fiber cone with poly resin coating •Rubber surround •Rubber boot magnet cover •Mylar dome tweeter **Specifications:** •Power capacity: 120W max •Frequency response: 75Hz~20KHz •Impedance: 4ohm •0.75" aluminum voice coil (woofer) •8 oz. magnet •SPL: 90B (W/M) •Mfr. #XP2K-462 •**Sold individually**

Order #	(1-3)	(4-up)
51-1210	$10.95	$9.89

PYLE 6" x 9" Ultra Slim OEM Replacement Three–Way Speaker Pair

•Ultra thin magnet structure allows direct drop–in replacement for most factory speakers •Includes all mounting hardware and grills •Poly mica coated woofer cone •Film cone midrange •1" high temperature voice coil •Neodymium tweeter with mylar dome •Power capacity: 225W/450W RMS/peak •Impedance: 4ohm •Frequency response: 41Hz~22KHz •**Sold in pairs**

Order #	Model #	(1–3 prs.)	(4 prs. –up)
51-1034	PLS690	$46.99	$42.26

Automotive Speakers

NEW! NEW! NEW! NEW! NEW! NEW!

Dryver Series Component Speaker Pair

Two way component system is ideal for door mount installations, with pillar mounted tweeter. The 6½" woofer features a specially designed die cast basket, glass fiber/foam composite cone, rubber surround and a 1" kapton voice coil. Available as a complete system, woofers are also available separately, allowing use with existing factory crossover and pillar mounted tweeter. **System includes:** •Pair of 6½" woofers •Pair of 1" soft dome tweeters •Pair of 12dB/octave passive two–way crossovers •Mounting template •Mounting hardware •Speaker wire **Specifications woofer:** •Power capacity: 200W/400W RMS/peak •Frequency response: 55Hz~6KHz •Impedance: 4ohm **Tweeter:** •Power capacity: 80W/160W RMS/peak •Frequency response: 1400Hz~24KHz •Impedance: 4ohm

Order #	Mfr. #	Description	(1–3 prs.)	(4 prs.–up)
51-1126	PLD64	Woofer pair	$91.95	$82.79
51-1127	PLD6C	Component System	145.00	131.00

Gear-X Series Component Speaker Pairs

Two-way component systems are ideal for door mount installations, with pillar mounted tweeter. Available with either 5¼" or 6½" woofers, which are compatible with most OEM door installations. **System includes:** •Pair of woofers •Pair of 1" silk dome tweeters •Pair of 12dB/octave passive two-way crossovers •Mounting template •Custom grills •Mounting hardware •Speaker wire **Specifications 5¼" woofer:** •Power capacity: 150W/300W RMS/peak •Frequency response: 60Hz~6KHz •Impedance: 4ohm •Magnet: 30 oz. **6½" woofer:** •Power capacity: 200W/400W RMS/peak •Frequency response: 50Hz~5KHz •Impedance: 4ohm •Magnet: 40 oz. **Tweeter**: •Power capacity: 50W/100W RMS/peak •Frequency response: 1400Hz~24KHz •Impedance: 4ohm •Neodymium magnet

Order #	Mfr. #	Description	(1-3 prs.)	(4 prs.-up)
51-1160	PLG5C	5¼" system	$42.95	$39.00
51-1161	PLG6C	6½" system	49.95	45.00

Gear-X Automotive Speaker Pairs

These two, three and four way speaker pairs feature attractive yellow poly injected cone woofers in a variety of sizes. Standard sizes are direct replacement for most OEM vehicle locations. **Features:** •High temperature 4ohm aluminum voice coil •Film dome midrange (applicable models) •Mylar dome tweeter •All models include grills, mounting hardware and speaker wire •**Sold in pairs**

Order #	Mfr. #	Description	Power Capacity (max)	Frequency Response	(1-3 prs.)	(4 prs.-up)
51-1140	PLG3.2	3½" 2-way	120W	100Hz~20KHz	$13.95	$12.75
51-1141	PLG4.2	4" 2-way	140W	90Hz~20KHz	17.95	16.25
51-1142	PLG46.2	4" x 6" 2-way	180W	70Hz~20KHz	21.95	19.95
51-1143	PLG46.3	4" x 6" 3-way	180W	70Hz~20KHz	22.95	20.75
51-1144	PLG5.2	5¼" 2-way	140W	80Hz~20KHz	19.95	17.95
51-1145	PLG5.3	5¼" 3-way	140W	80Hz~20KHz	21.95	19.95
51-1146	PLG57.2	5" X 7" 2-way	240W	70Hz~20KHz	26.95	24.29
51-1147	PLG57.3	5" X 7" 3-way	240W	75Hz~22KHz	29.95	26.99
51-1148	PLG6.2	6½" 2-way	240W	65Hz~20KHz	24.95	22.50
51-1149	PLG6.3	6½" 3-way	280W	60Hz~20KHz	26.95	24.50
51-1150	PLG6.4	6½" 4-way	300W	60Hz~20KHz	30.95	27.95
51-1151	PLG69.3	6" x 9" 3-way	360W	45Hz~22KHz	39.95	36.00
51-1152	PLG69.4	6" x 9" 4-way	400W	45Hz~22KHz	42.95	39.00
51-1153	PLG69.5	6" x 9" 4-way	450W	45Hz~22KHz	39.95	36.00
51-1154	PLG69.8	6" x 9" 4-way	500W	45Hz~22KHz	45.95	42.00
51-1155	PLG41.3	4" x 10" 3-way	300W	60Hz~22KHz	34.95	31.50
51-1156	PLG71.4	7" x 10" 4-way	450W	40Hz~22KHz	49.95	45.00
51-1157	PLG8.3	8" dia. 3-way	400W	37Hz~22KHz	45.95	41.50

Wave Series Automotive Speaker Pairs

These two and three way speaker pairs are designed for direct factory replacement in common OEM locations. The poly cone with foam surround provides solid performance, making these ideal upgrades for factory units. **Features:** •High temperature 4ohm aluminum voice coils •Mylar dome tweeter •Mylar dome midranges (three–way models) •Ferrofluid cooled voice coils •Rubber boot magnet cover •Grills, mounting hardware and speaker wire •**Sold in pairs**

Order #	Mfr. #	Description	Power Capacity (max)	Frequency Response	(1–3 prs.)	(4 prs.–up)
51-1170	PLX32	3.5" 2–way	80W	65Hz~20KHz	$8.49	$7.69
51-1171	PLX42	4" 2–way	100W	65Hz~20KHz	14.95	13.50
51-1172	PLX462	4" x 6" 2–way	160W	50Hz~20KHz	16.95	15.29
51-1173	PLX52	5.25" 2–way	120W	55Hz~20KHz	15.95	14.50
51-1174	PLX572	5" x 7" 2–way	180W	50Hz~20KHz	22.95	20.75
51-1175	PLX62	6.5" 2–way	150W	50Hz~20KHz	17.95	16.50
51-1176	PLX63	6.5" 3–way	180W	50Hz~20KHz	22.95	20.79
51-1177	PLX693	6" x 9" 3–way	300W	60Hz~20KHz	25.95	23.50
51-1178	PLX4102	4" x 10" 2–way	200W	50Hz~20KHz	26.95	24.50

Crystal Series Automotive Speaker Pairs

Two, three and four–way speakers provide unique design and great looks for solid performance in any installation. **Features:** •Transparent blue polypropylene cone •Non fatiguing butyl rubber surround •High temperature kapton voice coils •Polymer dome midranges (appropriate models) •Film dome tweeters (appropriate models) •Piezo super tweeters (appropriate models) •Unique molded polycarbonate frame •All models 4ohm •Included grills, mounting hardware and speaker wire •**Sold in pairs**

Order #	Mfr. #	Size	Type	Power Capacity (max)	Frequency Response	(1–3 prs.)	(4 prs.–up)
51-1070	490X	4"	2–Way	180W	90Hz~20KHz	$19.95	$18.95
51-1071	590X	5¼"	2–Way	240W	80Hz~20KHz	21.95	20.95
51-1072	685X	6½"	2–Way	280W	65Hz~20KHz	25.95	24.95
51-1073	659X	6½"	3–Way	300W	65Hz~20KHz	26.95	25.75
51-1074	698X	6" x 9"	3–Way	480W	50Hz~20KHz	35.95	34.15
51-1075	699X	6" x 9"	4–Way	500W	45Hz~20KHz	37.95	36.25

Automotive Speakers

NEW! NEW! NEW! NEW! NEW! NEW!

PYRAMID®

Imperial Series Automotive Speaker Pairs

Exclusively designed speakers are bound to turn heads in any installation. Highly polished gold finish is augmented by the bolted–on magnet back plate, gold cone and rubber surround. 6" x 9" remains the industry standard for read deck mounting in most cars, while 6.5" is used in many rear decks and doors. **Features:** •Gold injection poly cone •Rubber surround •High temperature 4ohm aluminum voice coils •Polymer film midranges •Mylar dome tweeters •Includes grills, mounting hardware and speaker wire •**Sold in pairs**

Order #	Mfr. #	Description	Power Capacity (max)	Frequency Response	(1–3 prs.)	(4 prs.–up)
51-1080	6390	6½" 3–way	240W	55Hz~20KHz	$22.95	$21.95
51-1081	6490	6" x 9" 4–way	480W	45Hz~20KHz	31.95	30.50

PYRAMID®

Super Blue Series Automotive Speaker Pairs

Two and three-way speakers provide solid performance at a value price, with sizes to suit virtually any installation. **Features:** •Blue injected polypropylene cone •Non fatiguing butyl rubber surround •High temperature aluminum voice coils •Polymer dome midranges (appropriate models) •Piezo tweeters •Stamped steel frame •All models 4ohm •Included grills, mounting hardware and speaker wire •**Sold in pairs**

Order #	Mfr. #	Size	Type	Power Capacity (max)	Frequency Response	(1-3 prs.)	(4 prs.-up)
51-1090	6991	6" x 9"	3-way	600W	30Hz~32KHz	$30.95	$29.50
51-1091	6591	6½"	3-way	300W	55Hz~30KHz	21.95	20.95
51-1092	6091	6½"	3-way	300W	55Hz~23KHz	16.95	16.25
51-1093	5091	5¼"	3-way	240W	65Hz~20KHz	14.25	13.50
51-1094	5791	5" x 7"	3-way	300W	60Hz~20KHz	19.95	18.95
51-1095	4691	4" x 6"	3-way	300W	70Hz~20KHz	14.95	14.25
51-1096	4091	4"	2-way	200W	75Hz~20KHz	12.95	12.50

PYLE

4" x 6" OEM Replacement Two–Way Speaker Pair

•Ultra thin magnet structure allows direct drop–in replacement for most factory speakers •Includes all mounting hardware and grills •Poly mica coated woofer cone •1" high temperature voice coil •Neodymium tweeter with mylar dome •Power capacity: 90W/180W RMS/peak •Impedance: 4ohm •Frequency response: 66Hz~22KHz •**Sold in pairs**

Order #	Model #	(1–3 prs.)	(4 prs. –up)
51-1032	PLS460	$25.46	$22.84

PYLE

5.25" OEM Replacement Two–Way Speaker Pair

•Ultra thin magnet structure allows direct drop–in replacement for most factory speakers •Includes all mounting hardware and grills •Poly mica coated woofer cone •1" high temperature voice coil •Neodymium tweeter with mylar dome •Power capacity: 90W/180W RMS/peak •Impedance: 4ohm •Frequency response: 55Hz~20KHz •**Sold in pairs**

Order #	Model #	(1–3 prs.)	(4 prs. –up)
51-1031	PLS50	$24.94	$22.58

PYRAMID®

6" x 9" Three–Way Speaker Pair

•Perfect for factory upgrade or replacement •Black poly resin coated woofer cone provides improved low frequency response and high immunity to moisture •Includes sleek black mesh grills and hardware •2.75" pole mounted poly midrange •1¼" piezo tweeter •Power capacity: 300W peak •Impedance: 4ohm •Frequency response: 70Hz~20KHz •Mounting depth: 3.75" •**Sold in pairs**

Order #	Model #	(1–3 prs.)	(4 prs. –up)
51-1053	6908GS	$26.20	$23.63

PYLE

4" x 10" OEM Replacement Two–Way Speaker Pair

•Ultra thin magnet structure allows direct drop–in replacement for most factory speakers •Includes all mounting hardware and grills •Poly mica coated woofer cone •1" high temperature voice coil •Neodymium tweeter with mylar dome •Power capacity: 140W/280W RMS/peak •Impedance: 4ohm •Frequency response: 55Hz~22KHz •**Sold in pairs**

Order #	Model #	(1–3 prs.)	(4 prs. –up)
51-1035	PLS410	$38.06	$34.39

PYLE

Mylar Dome Tweeter Pair

The perfect solution for enhanced high frequency response in any vehicle where added durability is critical. Mylar cone material is especially resilient against moisture and humidity. Tweeters may be flush or surface mounted for added versatility. Ferro fluid cooled voice coil, and neodymium magnets provide outstanding power handling characteristics, and ½" dome delivers accurate smooth high frequency response. **Specifications:** •Power capacity: 75W/150W RMS/peak (with supplied crossover capacitor) •Response: 1.3KHz~22KHz •Impedance: 4ohm •SPL: 92dB (1W/1M) •1¾" outside diameter •Flush mount configuration requires 1⅝" cutout •Sold in pairs •Mfr. #PLST6

Order #	(1-3)	(4-up)
53-695	$9.98	$8.93

PowerAcoustik

Poly Cone Automotive Tweeter Pair

Niobium rare earth ferro-electric magnet tweeters provide extended high frequency response in demanding automotive applications. **Features:** •Polypropylene diaphragm •100W RMS power capacity •5KHz~25KHz frequency response •4ohm impedance •Two-way surface/angle mount •Built-in crossover •SPL 97dB •Sold in pairs •Mfr. #NB-1

Order #	(1-3 prs.)	(4 prs.-up)
60-8765	$23.63	$20.74

Acoustic Baffles

•Eliminates water damage •Reduces road noise •Improves door acoustics •Increases power handling •Baffles compress to fit most doors •Sold in pairs

Order #	Size	(pr.)
60-275	Shallow 5"	$5.29
60-280	6½"	7.94
60-285	6" x 9"	7.94
60-290	8"	10.06

Automotive woofers can be found in Speaker Components, Section 5.

Automotive Speakers

PYRAMID
6" x 9" Three-Way Speaker Pair

•Low cost pair is perfect for factory upgrade or replacement •Includes hardware, speaker wire and grills •Red foam surround •Durable and efficient piezo midrange and tweeter •Power capacity: 150W peak •Impedance: 4ohm •Frequency response: 80Hz~16KHz •Mounting depth: 2.75" •**Sold in pairs**

Order #	Model #	(1–3 prs.)	(4 prs.–up)
51-1054	697SX	$14.65	$13.22

PYRAMID
4" Two–Way Speaker Pair

•Perfect for factory upgrade or replacement in door and kick panels •Includes hardware, grills and speaker wire •Black poly resin coated woofer cone •1" high temperature ferrofluid cooled voice coil •1¾" pole mounted aluminum film tweeter •Power capacity: 160W peak •Impedance: 4ohm •Frequency response: 90Hz~18KHz •Mounting depth: 1.75" •**Sold in pairs**

Order #	Model #	(1–3 prs.)	(4 prs.–up)
51-1052	438G	$11.50	$10.38

PYRAMID
4" x 10" Three–Way Speaker Pair

•Low cost pair is perfect for factory upgrade or replacement •Includes hardware, speaker wire and grills •Red foam surround •Durable and efficient piezo midrange and tweeter •Power capacity: 200W peak •Impedance: 4ohm •Frequency response: 80Hz~18KHz •Mounting depth: 2.5" •**Sold in pairs**

Order #	Model #	(1–3 prs.)	(4 prs.–up)
51-1050	4103SX	$17.33	$15.63

PYRAMID
3½" Two–Way Speaker Pair

•Perfect for factory upgrade or replacement in many dashboards •Includes hardware and speaker wire •Black poly resin coated woofer cone •¾" high temperature ferrofluid cooled voice coil •1¾" pole mounted aluminum film tweeter •Power capacity: 120W peak •Impedance: 4ohm •Mounting depth: 1.75" •**Sold in pairs**

Order #	Model #	(1–3 prs.)	(4 prs.–up)
51-1051	328GS	$7.34	$6.60

PYRAMID
Silk Dome Tweeter Pair

The perfect solution for enhanced high frequency response in any vehicle. Tweeter pair includes versatile mounting hardware that allows flat surface or angled mounting. Ferro fluid cooled aluminum voice coil, and neodymium magnet provides outstanding power handling characteristics, and 1" silk dome delivers extremely accurate and smooth high frequency response. **Specifications:** •Power capacity: 50W/100W RMS/peak (with supplied crossover capacitor) •Response: 2KHz~20KHz •Impedance: 4ohm •SPL: 92dB (1W/1M) •1¼" outside diameter •**Sold in pairs** •Mfr. #TW22N

Order #	(pr.)	(2 prs.-up)
53-700	$13.13	$11.81

PYRAMID
5.25" Water Proof Marine Speaker Pair

•Completely waterproof when securely mounted •Ideal for boats and harsh environments •Full range dual cone air suspension speaker •One piece design includes built–in white grill •Includes mounting hardware and speaker wire •Power capacity: 100W peak •Impedance: 4ohm •Frequency response: 100Hz~18KHz •Mounting depth: 1.5" •**Sold in pairs**

Order #	Model #	(1–3 prs.)	(4 prs.–up)
51-1060	MDC6	$10.45	$9.44

PYRAMID
6.5" Water Proof Marine Speaker Pair

•Completely waterproof when securely mounted •Ideal for boats and harsh environments •Full range dual cone air suspension speaker •1" high temperature voice coil •One piece design includes built–in white grill •Includes mounting hardware and speaker wire •Power capacity: 120W peak •Impedance: 4ohm •Frequency response: 45Hz~16KHz •Mounting depth: 2.5" •**Sold in pairs**

Order #	Model #	(1–3 prs.)	(4 prs.–up)
51-1061	MDC7	$14.18	$12.80

4" Round Replacement Automotive Speakers

Ideal for direct factory replacement. Use when existing speakers become worn or damaged, or when downgrading autosound system to resell the vehicle. All models feature paper cones with weather resistant foam surround, and a "wizzer" cone for extended high frequency response. Intended for direct replacement, these models include no mounting hardware, grills or speaker wire. **Sold individually. Specifications:** •Power capacity: 10W RMS •Impedance: 4ohm •Connections: Male tab ⅜" positive, ⅛" negative •Fequency response: 130Hz~8KHz •SPL: 78.6dB •fs: 155Hz •Magnet weight: 4 oz. •Mounting depth: 1¾"

Order #	(1-9)	(10-24)	(25-up)
60-9240	$3.24	$2.72	$2.61

PYLE
Quoobz® Cube Style Bandpass Subwoofer

Single channel bandpass speaker system is perfect for adding high levels of low frequency response to any vehicle system. Use with single channel amplifiers, or multi channel models in bridged mode. **Features include:** •Clear Plexiglas cover •High quality carpeted construction •Tuned bass reflex port •Available in three sizes

Order #	Mfr. #	Woofer Size	Peak Power Capacity	(1-3)
60-4145	PLQB8	8"	300W	$47.20
60-4146	PLQB10	10"	350W	62.95
60-4147	PLQB12	12"	400W	83.95

PYLE
Hatchback Speaker Systems

Complete carpeted enclosure speaker systems make adding pounding bass, with sizzling highs, quick and easy. Dual woofers, in a sealed angled box, provide solid low frequency response. Piezoelectric horn tweeters provide outstanding efficiency and very high durability, perfect in demanding autosound applications. Available in two sizes, each channel is 4ohm.

Order #	Mfr. #	Size	Peak Power Capacity	(1-3)
51-986	PLHB10	10"	700W	$104.95
51-987	PLHB12	12"	900W	135.45

Audio Enhancers



6" x 9" Enclosure Pair

Order #	(W) x (H) x (TD) x (BD)	(1-3 prs.)	(4 prs.-up)
60-2910	11½" x 8¼" x 5½" x 6"	$24.49	$22.06



Audio Enhancers
The Classic Series

•Glued and stapled for a solid air tight seam •Heavy duty charcoal carpet for a finished look •Woofer openings and quick release terminal cups for ease of installation

Order #/ Speaker/Fig.	(W) x (H) x (TD) x (BD)	(1-3)	(4-up)
60-2940 10"/A	35" x 12½" x 8¾" x 11¼"	$55.43	$51.12
60-2945 12"/A	35" x 12½" x 13¼" x 15¾"	66.45	62.15
60-2955 12"/B	49" x 14¼" x 5" x 8"	66.45	62.15



BULLDOG CAR SECURITY SYSTEM

Remote Start "T" Harnesses
All Models Only $20.95

Greatly simplifies the installation of the #60-4750 and #60-4760 remote start systems. Custom manufactured for compatibility with most vehicles on the road today, these harnesses connect directly to the vehicles existing steering wheel harness. This eliminates any need for cutting or splicing existing vehicle wiring.

Vehicle/Model	Year	Order #
Chrysler		
300M	99-00	**60-4714**
Acclaim	94-95	**60-4716**
Breeze	96-00	**60-4712**
Caravan	88-95	**60-4716**
Caravan	96-00	**60-4712**
Cirrus	95-00	**60-4712**
Concorde	94-00	**60-4714**
Dakota	94-02	**60-4716**
Durango	98-02	**60-4716**
Intrepid	94-00	**60-4714**
LeBaron	90-95	**60-4716**
LHS	94-00	**60-4714**
Neon	95-99	**60-4712**
New Yorker	95-96	**60-4714**
Ram Pickup	95-02	**60-4716**
Ram Van	95-02	**60-4716**
Sebring Convertible	96-00	**60-4712**
Shadow	94	**60-4716**
Spirit	95	**60-4716**
Stratus	95-00	**60-4712**
Sundance	94	**60-4716**
Town & Country	94-95	**60-4716**
Town & Country	96-00	**60-4712**
Viper	96	**60-4716**
Voyager	95	**60-4716**
Voyager	96-00	**60-4712**
Eagle		
Vision	94-97	**60-4714**
Ford/Lincoln/Mercury		
Aerostar	94-97	**60-4720**
Bronco	93-96	**60-4720**
Continental	94-02	**60-4720**
Cougar	81-93	**60-4718**
Cougar	94-97	**60-4720**
Crown Victoria	83-89	**60-4718**
Crown Victoria	90-02	**60-4720**
Econoline	95-02	**60-4718**
Escort	82-87	**60-4718**
Excursion	2000	**60-4720**
Expedition	97-02	**60-4720**
Explorer	92-97	**60-4718**
Explorer	98-02	**60-4720**
F-250 Super	99-02	**60-4720**
F-Series	94-02	**60-4720**
Grand Marquis	83-89	**60-4718**
Grand Marquis	90-02	**60-4720**
Mark VII	93-96	**60-4720**
Mountaineer	96-97	**60-4718**
Mountaineer	98-02	**60-4720**
Mustang	80-93	**60-4718**
Mustang	94-02	**60-4720**
Navigator	98-02	**60-4720**
Ranger	84-94	**60-4718**
Ranger	95-02	**60-4720**
Sable	92-02	**60-4720**
Taurus	92-02	**60-4720**
Thunderbird	81-93	**60-4718**
Thunderbird	94-98	**60-4720**
Town Car	94-99	**60-4720**
Tracer	82-87	**60-4718**
Villager	94-02	**60-4720**
Windstar	94-02	**60-4720**
General Motors		
Achieva	91-98	**60-4708**
Alero	99	**60-4710**

Vehicle/Model	Year	Order #
General Motors		
APV	90-96	**60-4700**
Astro	85-95	**60-4700**
Astro	96-00	**60-4721**
Aurora	95-99	**60-4721**
Beretta	88-96	**60-4700**
Blazer	95-00	**60-4721**
Bonneville	87-99	**60-4704**
Bravada	88-94	**60-4700**
Bravada	95-00	**60-4721**
Camaro/Firebird	81-92	**60-4700**
Caprice	81-96	**60-4700**
Cavalier	82-90	**60-4700**
Cavalier	91-00	**60-4708**
Century	85-89	**60-4700**
Century	91-96	**60-4704**
Century	97-99	**60-4721**
Concours	95-98	**60-4704**
Corsica	88-96	**60-4700**
Cutlass (FWD)	97-99	**60-4710**
Cutlass Calais	88-95	**60-4700**
Cutlass Ciera	91-96	**60-4704**
Cutlass Cruiser	88-95	**60-4700**
Cutlass Supreme	85-97	**60-4704**
De Ville	91-99	**60-4704**
Eighty-Eight	93-99	**60-4704**
El Camino	82-87	**60-4700**
Eldorado	98-99	**60-4704**
Fleetwood	95-96	**60-4700**
Full Size Blazer	88-94	**60-4700**
Full Size Jimmy	74-94	**60-4700**
Full Size Pick-up	78-94	**60-4700**
Full Size Pick-up	95-99	**60-4721**
Full Size Van	83-95	**60-4700**
Full Size Van	96-00	**60-4721**
GMC Pick-up	95-99	**60-4721**
Grand Am	95-98	**60-4708**
Grand Am	99-00	**60-4710**
Grand Prix	94-96	**60-4704**
Grand Prix	97-00	**60-4721**
Impala	81-96	**60-4700**
Intrique	97-00	**60-4710**
Jimmy	95-00	**60-4721**
Lesabre	82-88	**60-4700**
Lesabre	89-99	**60-4704**
LSS	97-99	**60-4704**
Lumina	90-99	**60-4704**
Malibu	97-99	**60-4710**
Montana	98-00	**60-4721**
Monte Carlo	87-89	**60-4700**
Monte Carlo	90-98	**60-4704**
Ninety-Eight	93-96	**60-4704**
Park Avenue	96	**60-4704**
Regal	94-96	**60-4704**
Regal	97-99	**60-4721**
Regency	97-99	**60-4704**
Riviera	87-93	**60-4700**
Riviera	95-99	**60-4721**
Roadmaster	91-96	**60-4700**
S-10 Pick-up	95-00	**60-4721**
S-15 Jimmy	99-00	**60-4721**
Safari	85-95	**60-4700**
Safari	96-00	**60-4721**
Savanna Van	96-00	**60-4721**
Seville	95	**60-4704**
Silhouette	90-96	**60-4700**

Vehicle/Model	Year	Order #
Silhouette	97-00	**60-4721**
Skylark	85-91	**60-4700**
General Motors		
Skylark	92-98	**60-4708**
Sonoma	95-98	**60-4721**
S-Series Blazer	91-94	**60-4700**
Suburban	88-94	**60-4700**
Suburban	95-00	**60-4721**
Sunfire	94-00	**60-4708**
Tahoe	95-00	**60-4721**
Tornado	89	**60-4704**
Transport	90-96	**60-4700**
Transport	97-98	**60-4721**
Venture	97-00	**60-4721**
Yukon/Denali	95-00	**60-4721**
Honda		
Civic	96-00	**60-4722**
Del Sol	92-97	**60-4722**
Integra	98-00	**60-4722**
Isuzu		
Hombre	96-97	**60-4721**
Jeep		
Cherokee	95-96	**60-4716**
Cherokee	97-00	**60-4712**
Grand Cherokee	95-00	**60-4716**
Wrangler	97-00	**60-4712**
Lexus		
ES300	98-00	**60-4732**
GS300/400	2000	**60-4732**
LS400	98	**60-4732**
RX300	2000	**60-4732**
Mazda		
Navajo	92-95	**60-4718**
Pickup	94	**60-4718**
Nissan		
200SX	91	**60-4728**
200SX	95-99	**60-4726**
240SX	94-99	**60-4726**
Altima	93-94	**60-4728**
Altima	95-99	**60-4726**
Frontier	98-00	**60-4726**
Maxima	94-00	**60-4726**
Pathfinder	92-95	**60-4728**
Pickup	92-95	**60-4728**
Sentra	95-99	**60-4726**
Stanza	96-98	**60-4726**
Xterra	2001	**60-4726**
Saturn		
All models	95-01	**60-4730**
Toyota		
4-Runner	92-95	**60-4734**
4-Runner	96-00	**60-4732**
Avalon	95-00	**60-4732**
Camry	92-96	**60-4736**
Camry	97-00	**60-4732**
Corolla	98-01	**60-4732**
Land Cruiser	99-01	**60-4732**
Paseo	95-99	**60-4732**
Previa	92-97	**60-4736**
Rav 4	96-00	**60-4732**
Sienna	98-00	**60-4732**
Solara	99-01	**60-4732**
SR5	92-95	**60-4734**
T-100	94-98	**60-4734**
Tercel	95-99	**60-4732**
Tundra	2000	**60-4732**

BULLDOG CAR SECURITY SYSTEM

Untouchable Shock Sensor

•Fully electronic "no moving parts" •Super sensitive •Adjustable sensitivity •LED sensitivity test light •3 wire installation

Order #	(1-3)	(4-up)
60-1855	**$8.47**	**$7.94**

BULLDOG CAR SECURITY SYSTEM

Invisiguard Intrusion Sensor

•Ultra-miniature doppler radar intrusion sensor •Designed to detect any unauthorized entry within its adjustable RF field •Completely immune to temperature changes, noise wind or vibration •Perfect for cars equipped with T-Tops, convertible tops and sun roofs

Order #	(1-3)	(4-up)
60-1860	**$25.15**	**$22.84**

Do-It-Yourself Remote Start Systems

Nine on-board relays greatly ease the incorporation into most vehicles, even for first time installers. When combined with separately available Bulldog "T-Harness" wiring kits, they install into many vehicles with absolutely no wire splicing
Features: •Four-button extended range remote (only one remote included) •Dedicated start and stop buttons •Keyless entry •Remote trunk release •Programmable automatic cold start •Parking light confirmation •Dome light supervision •5/10/15 minute programmable run time •Tach or tachless compatibility •800' extended range operation #60-4760 **Additional features:** •One four-button extended range remotes •Programmable automatic start every three hours with 5/10/15/20/25 minute selectable run time •Ignition switch door lock actuation •Programmable automatic hot weather start (in addition to cold) •Horn or siren hook-up •Door trigger protection •Starter immobilizer output •Sensor protection output

Order #	Model #	(1-3)	(4-up)
60-4750	RS1100E	**$83.95**	**$79.75**
60-4760	RS1300E	**104.95**	**99.70**

AUTOPAGE Two Channel Alarm with Pager

Complete two channel automotive security system includes a compact pager/receiver, which is integrated into one of the two-button remotes. This alerts the owner that the car has been violated for range of up to one mile from the vehicle. A second two-button remote is included to operate all other standard alarm features. System also includes a five-stage status LED and 120dB single tone siren.
Features: •Full 4W paging transmitter •Lock/unlock outputs •Valet override switch •Selectable passive/manual arming •Positive and negative trigger inputs •Additional negative trigger input •Breach warning •Auto rearm and reset

Order #	Mfr. #	(1-3)	(4-up)
60-4015	AP5500	**$136.80**	**$122.00**

BULLDOG CAR SECURITY SYSTEM

Pro Full Featured Alarm System

Designed to provide the ultimate in automobile protection and convenience, the Bulldog **Model 5002 Pro** offers the most often requested features in an automobile alarm. **Features include:** •Open or defective zone by-pass with audible alert •Silent arming/disarming •Arm/disarm conformation chirp •Three chirp conformation if system was violated •Flashing light conformation (with on-board relay) •Two-way positive/negative door lock outputs •Turn-on headlights or parking lights (for 30 seconds when disarmed) •Automatic car starter bypass (shock and current) •Automatic re-arm •Dual zone trigger circuit •Progressive door pins •Progressive shock sensor input (negative) •Keyless entry •"E-Square" memory back-up chip •Dome light supervision •Override switch •Full time instant panic •Computer controlled fan sensor override •Remote car finder •Remote control programming •Scan deterrent •Code learning •Passive or active arming •Pre-arming chirp prior to passive arming •Distracted entry •Automatic annoyance override (if alarm is activated three times consecutively by the same trigger, that trigger is deactivated, all others remain armed) •Six function LED status indicator •Six tone 126dB siren •Six separate input triggers •Negative/positive door pin input trigger •Five negative output triggers for door lock/unlock, trunk pop, window roll up, remote start etc. •Starter disable output •Remote sensor elimination •(2) four button extended range remote controls **Model 6002Pro** provides all of the above listed features, plus the following: •On board remotely adjustable shock sensor •9V battery back-up •Included started kill relay •Passive shock lock •Passive alarming **Model 7002Pro** provides all of the above listed features, plus: •Extended range key-chain remote •Plug-in automatic anti car-jacking •All include a limited lifetime warranty, and are made in the USA

Order #	Mfr. #	(1-3)	(4-up)
60-8495	5002Pro	$57.70	$53.50
60-2345	6002Pro	73.45	68.20
60-2350	7002Pro	90.09	79.49



BULLDOG CAR SECURITY SYSTEM

Door Lock Actuator

Converts manual door lock mechanism to electronic operation. Fits most cars.

Order #	Mfr. #	(1-3 kits)	(4 kits-up)
60-8570	PRO1080	$4.08	$3.77

AUTOPAGE Remote Car Starter with Two Channel Alarm

Four–in–one remote starter may be used as a stand–alone unit with or without keyless entry, or as an add–on unit to an existing aftermarket or original factory security system. **Features:** •Two, five–button remote transmitters •66 bit random code hopping •Code learning, anti–scan receiver •Shift function for second car operation •Five onboard relays for ignition 1, ignition 2, starter, accessory and parking light •Plug–in dual channel shock sensor •Starter disable with relay •Dome light illuminated entry •One positive and four negative inputs •Error bypass reporting •120dB electronic siren •Horn output •Ground–when–armed output •Third ignition output •Remote control panic •Car locator •Second channel auxiliary output •Dual polarity (+/-) door lock outputs •Valet override switch •Diesel fuel compatibility •Hood pin switch input •Selectable voltage/RPM start sensing. **Specifications:** •Remote operating frequency: 433.92MHz •Range: 750' •Run time: 5/10/20/30 minutes programmable

Order #	Mfr. #	(1–3)	(4–up)
60-4024	RS650	$114.45	$103.95

AUTOPAGE Two Channel Remote Start with Keyless Entry

This high performance remote start system may be configured as a stand–alone system, with or with out keyless entry, or as an add–on to an existing vehicle security system. System includes two remote transmitters. **Keyless entry features:** •66 bit random code hopping •Code learning/anti–scan receiver •Second car operation •Extended range (500~750') window mount antenna •Memory back–up system •Dedicated remote panic and car locator •Passive arming bypass from the remote •Parking light flash with on–board relay •Second channel auxiliary output •Valet override •Plug–in super bright LED •Starter disable output (optional) •Horn honk output •Ground–when–armed output •Dual polarity door lock outputs •Pathway illumination •Drivers door priority two–step unlock •Dome supervision output •All programmable features are programmed via the remote transmitter **Remote start features:** •Five on–board relays (ignition 1, ignition 2, starter, accessory, parking light •Third ignition output) •Ground–when–start output •Diesel fuel compatibility •Hood pin switch input •Selectable voltage/RPM start sensing/timer–start •Timer–start (0.6 seconds~4.0 seconds) •Temporary stop feature •Factory security disarm/rearm outputs •Programmable three–hour/24–hour timer start •Sensor control output during start •OEM alarm output •Selectable run timer •Ignition control lock bypass during remote start **Programmable features:** •Chirp delete •Ignition control door locks •5, 10, 20 and 30 minute run timer •RPM and voltage high/low level checking

Order #	Mfr. #	(1–3)	(4–up)
60-4018	RS-610 plus	$83.95	$75.56

AUTOPAGE Keyless Entry System

This is a perfect low-cost unit for situation were only keyless entry is desired. System includes (2) five-button remotes, and has a remote panic output which may be connected to an optional horn. **Features:** •56 bit random code hopping •Second car operation •Dual polarity door lock outputs •Second channel auxiliary output •Starter disable output •On-board relay for parking light flash •Dome light illuminated entry •Programmable ignition control lock/unlock •Programmable active/passive system control •Selectable extended lock pulse time •Single/double pulse door unlock

Order #	Mfr. #	(1-3)	(4-up)
60-4025	RF-105KE	$42.41	$38.21

Battery Back-Up Siren

This loud 120dB siren provides the added security of an internal battery back-up. Attached red/black power leads are connected to a continuous 12VDC source, with separate positive and negative trigger inputs, making this compatible with any conventional automotive or residential security systems. Built-in charging circuit maintains a full charge on the internal battery, and the siren is triggered if either power lead is removed. Requires 12VDC, 1A.

Order #	(1-3)	(4-11)	(12-up)
60-4450	$19.23	$17.41	$15.37

Automotive Six Tone Siren

Loud 117dB siren produces six different tones, and alternates them every six seconds. 12VDC, 1A operation is compatible with virtually all automotive and residential alarm systems.

Order #	(1-3)	(4-11)	(12-up)
60-4440	$9.59	$8.66	$7.65

Mini Piezo Siren

Compact piercing 100dB siren is ideal for use inside the vehicle as a "first-stage" or "pre-alert" alarm. 12VDC, 220mA operation is compatible with virtually all automotive and residential alarm systems.

Order #	(1-3)	(4-11)	(12-up)
60-4445	$3.94	$3.55	$3.15

Flashing LED

•Prewired 5mm LED in metal housing •36" red and black lead wires •Use for arming indicator or in dummy alarms •12VDC

Order #	(ea.)
25-460	$2.11

BOSCH Original Bosch Relay

Commonly used in automotive security, lighting and audio applications. SPDT contacts handle 30A. Compatible with standard 5 pin relay sockets. Bosch #0-332-209-150.

Order #	(1-9)	(10-up)
26-534B	$2.09	$1.98

Automotive Pin Switches

This wide assortment of switches allows custom installation of security equipment in virtually any automotive application.
#60-4460~4463 feature adjustable mounting depths and include mounting nuts.
#60-4464 has self taping threads for insertion into a ¼" hole. #60-4465 is attached to a 1¼" x ⅜" mounting flange. #60-4465 and #60-4463 may be connected via a standard ¼" female quick disconnect, all others utilize 4mm male bullet connector, such as #28-6084.

Fig.	Order #	Description	(1-11)	(12-25)	(26-up)
A	60-4460	Large	$0.50	$0.45	$0.41
B	60-4461	Small	0.50	0.45	0.41
C	60-4462	Large Right angle	0.53	0.48	0.42
D	60-4463	Large plastic	0.85	0.74	0.67

Pin Switch Bracket

•Universal bracket for most pin switches
•Available in either flat or right angle

Order #	Style	(1-3)	(4-up)
60-7030	Flat	$0.41	$0.37
60-7035	Right angle	0.41	0.37

Factory Radio Removal Tool Set



•Specially designed tool saves time and removes factory installed stereos with ease •Ideal for Ford, Lincoln and Mercury automobiles •Four rings per set

Order #	(1-3 sets)	(4-9 sets)	(10 sets -up)
60-1675	$6.31	$5.84	$5.25

Window and Door Clip Remover/Installer

•Allows user to easily remove and install door handle and window crank clips on GM, Ford and many other automobiles •Made in USA

Order #	(1-3)	(4-up)
22-1135	$6.86	$6.24

Car Aerial Plug-Solderless

Solderless plug with plastic body.

Order #	(1-24)	(25-up)
AV00034	$1.03	$0.93

Car Aerial Socket

Solderless in-line socket. Black plastic body.

Order #	(1-24)	(25-up)
AV00035	$0.93	$0.83

Two-Way Flat Connector

•8" color-coded leads •Keyed for correct hook-up every time

Order #	(1-9)	(10-49)	(50-99)
27-615	$2.25	$1.85	$1.43



PYLE Sound Deadening Material

Sound deadening mats are the most cost effective way of improving the performance of any autosound system. Often, focus is placed primarily on total SPL output, while true performance is actually based on the SPL over road noise. By lowering the noise floor, sound system quality is greatly improved, an especially important requirement with mobile video systems. Installed inside door panels, between trunk and roof liner and body, and under carpet, these self-adhesive pads easily contour to any shape and are easily cut to size.
#60-4840 is a rubber mat with silver fiber and is specially designed for sound and heat insulation in the interior floor, transmission tunnel or trunk.
#60-4845 is specially designed rubberized material for superior sound absorption in door panels, headliner, transmission tunnel and trunk. **#60-4850** is a rubberized material with a chrome reflective layer, for sound insulation in high heat areas such as the firewall.

Order #	Dimensions	(1-3)	(4-8)	(9-up)
60-4840	18" x 30"	$23.63	$21.26	$16.75
60-4845	22" x 22"	20.95	18.85	15.23
60-4850	18" x 30"	24.10	21.72	17.80

2 YEAR LIMITED WARRANTY

Schauer 1.5 Amp On-Board Automatic Battery Charger

•On-board style mounts near the battery, hardware included •Fully automatic can be left on the battery indefinitely •Easily keeps batteries charged in stored vehicles, turns on and off automatically •Can be used with any type lead acid battery, including conventional, maintenance free, deep cycle, gelled-type, valve regulated batteries •Indicator lights, green-on and red-charge •Reverse polarity protected •Convenient short leads for battery connection and to AC extension cord •1.5A, 12V •Power requirements: 120VAC, 60Hz •Dimensions: 4.75" (W) x 3.5" (H) x 1.75" (D) •Weight: 2.5 lbs.

Order #	Mfr. #	(ea.)
72-6593	OB1	$35.50

Metal Back Straps

•Used by auto installers for securing the rear of dash head units •Heavy gauge perforated metal strap is easily formed to desired shape

Order #	Length	(1-9)	(10-up)
60-580	9"	$1.05	$0.84
60-581	16⅜"	1.56	1.25

Antenna Extensions for Auto Radio

•Motorola type plug and jack •Made of high-quality, shielded cable

Order #	Length	(1-9)	(10-up)
60-135	20"	$1.30	$1.08
60-190	8'	6.35	5.82

Motorola to "F" Connector 36" Cable

•Perfect for multi-radio displays where a single external antenna is used.

Order #	(1-3)	(4-up)
28-2145	$2.18	$1.52

multicomp

Automotive 12 Volt Relays

These high current relays are commonly used for switching high current autosound, security, lighting and other custom applications. Mounting tab allows easy installation any place in the vehicle, even under the hood. ¼" tabs accept standard female quick-disconnects or commonly used four and five pin OEM relay sockets.
Specifications: •Coil voltage: 12VDC •Coil resistance: 85ohm •Current consumption: 145mA •Minimum pull-in voltage: 8.4VDC •Max release voltage: 1.2VDC •Dimensions: 1" (H) x 1" (W) x 1" (D) (less mounting tab)

Order #	Contact Type	Contact Current	Pins	(1-9)	(10-24)	(25-up)
26-533	SPST	40A	Four	$0.99	$0.91	$0.81
26-534	SPDT	30A	Five	0.99	0.91	0.81

Five Wire Relay Socket

•Three 14 gauge and two 16 gauge wires
•9" length

Order #	(ea.)
60-6975	$0.89

Double Relay Socket



Order #	(ea.)
60-6935	$1.49

MG

3½ Digit LCD Panel Meter

Monitor DC voltage for any 12V system, especially high power car audio system where good voltage output is essential.
Features include: Auto polarity, single 9~12VDC operation, decimal point and selectance, 13mm figure height, high impedance 200mV full scale input sensitivity. Dimensions: 2⅝" x 1¾".

Order #	(1-3)	(4-up)
60-2960	$14.18	$11.81

Car Battery Analyzer

•Simply plug into lighter socket to test electrical system •Checks battery and regulator •Tests 12V negative ground battery system •Display packaged

Order #	(ea.)
28-1380	$4.23

Original Kenwood Radio Trim



•Kenwood #B07-2067-02

Order #	(1-9)
32-11325	$2.34

Maxi Style Fuse Holder

Designed specifically to house high-current Maxi style blade fuses. Gold plated brass terminal block is housed in a clear polycarbonate housing, which facilitates easy mounting and connection of 4AWG or 8AWG cable. Intended for use with current loads up to 120A. •Dimensions: 1¼" (H) x 2" (W) x 3⅜" (D) •Fuses sold separately

Order #	(1-3 pkgs.)	(4 pkgs. -up)
60-1697	$4.99	$4.25

24K Gold Distribution Block

•1 input up to 4AWG
•4 outputs up to 8AWG

Order #	(1-3)	(4-up)
60-7385	$3.77	$3.44

24K ANL Economy Fuse Holder



•1 input up to 0AWG
•1 output up to 0AWG

Order #	(1-3)	(4-up)
60-7415	$8.86	$7.99

Gold Battery Terminal

•Two 4AWG out and two 8AWG out

Order #	(1-3)	(4-up)
60-7485	$7.89	$7.35

Multi-Feed Battery Connectors

Multi-connection battery terminals accept a single 2AWG, a single 4AWG and two 8AWG cables. Ideal for multi accessory connections. Units are marked for use on either positive or negative battery post.

Order	Battery Post	(1-9)	(10-49)	(50-up)
60-3840	Positive	$10.20	$9.75	$8.99

Gold Wing Nut Battery Terminal

Description Order #	(1-3)	(4-up)
Positive 60-7425	$5.70	$5.26
Negative 60-7430	5.70	5.26

GM Type Car Battery Tap

•Popular battery tap for side mount batteries •Accessory leads can be connected easily •Made of corrosion resistant brass

Order #	(1-3)	(4-9)	(10-up)
60-1065	$2.26	$1.94	$1.72

NEW! NEW! NEW! NEW! NEW! NEW!

PANAVISE®

The new Window Mount series from Panavise is perfect for secure, but temporary, installations of a variety of mobile electronics! Mount GPS units, satellite radio receivers, MP3 players, even cameras-almost anything weighing up to three pounds-onto flat, smooth, non-porous surfaces (windows, windshields, etc.). Powerful suction pad attaches quickly, easily, and securely. These state-of-the-art window mounts emphasize both safety and convenience!

PANAVISE® CCTV Camera Window Mount

•Holds up to 3 lbs.
•Use with mobile electronics with ¼-20 stud or CCTV cameras for in-car video and/or surveillance
•Secures to flat, smooth, non-porous surfaces (windows, windshields, etc.) •Mfr. #809

Order #	(ea.)
106-305	$34.95

PANAVISE® Satellite, GPS, MP3 Player Window Mount

•Holds up to 3 lbs.
•Use with all mobile electronics with AMPS mounting
•Secures to flat, smooth, non-porous surfaces (windows, windshields, etc.) •Mfr. #809-AMP

Order #	(ea.)
106-310	$34.95

PANAVISE® LCD Monitor Window Mount

•Holds up to 3 lbs.
•Use with all mobile electronics with T-slot mounting
•Secures to flat, smooth, non-porous surfaces (windows, windshields, etc.)
•Mfr. #809-TS

Order #	(ea.)
106-315	$34.95

PANAVISE® GPS and MP3 Player Window Mount

•Holds up to 3 lbs.
•Use with MP3 players including I-POD, GPS, and other hand held electronics •Secures to flat, smooth, non-porous surfaces (windows, windshields, etc.) •Mfr. #809-PG

Order #	(ea.)
106-320	$49.95

MCM GOLDLINE® Gold Plated Fuse Holders



•Gold finished common supply fuse block •Enclosed in high-impact clear plastic
•Input: 4~8AWG wires •Output: 8~12AWG wires •Current rated at up to 75A per fuse
•Voltage rating: 32VDC •Display packaged for resale

Fig.	Order #	Fuse Type	# of Fuses	Supply	Wire Gauge Input	Max Output	Holder Current	Type	(1-3)	(4-up)
A	60-780	AGUAUE	4	Common	4~8 AWG	8~12AWG	300A	Block	$11.72	-
B	60-1695	AGUAUE	1		2~10AWG	2~10AWG	75A	Inline	7.01	$6.16

Gold Plated Spade Terminals

High quality insulated spade connectors are ideal for terminating larger gauge wire in auto sound and related applications. Color coded insulators slide easily over the crimp barrel. Package of eight terminals includes four red and four black.

Order #	Wire Gauge	(1-3 pkgs.)	(4-9 pkgs.)	(10 pkgs.-up)
60-4920	18AWG	$1.19	$0.99	$0.85
60-4921	14~16AWG	1.39	1.19	0.99
60-4922	12AWG	1.79	1.49	1.35
60-4924	8AWG	2.49	2.09	1.85

Auto Circuit Breaker

•70A /100A/140A circuit breaker with reset button

Order #	Amp	(1-9)	(10-49)	(50-up)
60-3760	100A	$20.01	$17.25	$15.69
60-3765	140A	20.01	17.25	15.69

Heavy-Duty Gold Plated Ring Terminals

•Available for 4 or 8AWG wire •7/16" hole diameter
•Four pieces per package (two black and two red)

Order #	Description	(pkg.)
S4PRG	4 AWG	$2.54
S8PRG	8 AWG	1.43

Circuit Breaker Cover



•Silicon/rubber insulation cover

Order #	(1-9)	(10-49)
60-3770	$3.39	$2.96

Deluxe In-Line Noise Filter

•Line level filter isolated ground between amp and radio •Eliminates noise due to signal path ground loops •Gold plated RCA connectors

Order #	(ea.)
60-405	$9.44

Line Output Convertor

•Converts speaker level outputs to line level •Converts common ground or floating ground outputs to low level outputs to drive "pre-amp" type EQs and amps

Order #	(ea.)
60-410	$3.17

Line Output Convertor/ Balancer

•Same as #60-410 plus it has an adjustable level for perfect channel balancing

Order #	(ea.)
60-415	$4.13

PYRAMID® Adjustable Line Output Convertor

•Converts speaker outputs to line level outputs •Allows any car stereo to drive amplifiers having line level inputs •Features full DC isolation and adjustable attenuation •10ohm impedance

Order #	(ea.)
60-480	$9.28

Universal Flexible Mounting Arm

Easy-to-install mounting assembly includes both a three-way floor/console mounting block and a seat bolt mounting bracket. Either attach directly to the floor or console by drilling three holes or loosen seat bolt and slide bracket underneath and re-tighten. Flexible shaft is 13" in length and can be bent into any convenient angle. Top plate accepts all phone holders and hands free kits that utilize standard four-hole mounting pattern.

Order #	(1-3)	(4-up)
110-1955	$18.13	$16.11

ABS Textured Plastic



•Excellent for custom installations of automobile radios and speakers •Easy to cut •⅛" thick sheet •Black

Order #	Dimensions	(1-3)	(4-9)	(10-up)
60-1220	4" x 12"	$2.47	$2.14	$1.49
60-1225	6" x 12"	3.00	2.57	2.14
60-1235	24" x 24"	14.52	13.98	13.44
Order #	**Dimensions**		**(1-9)**	**(10-up)**
60-1230	12" x 12"		$4.84	$4.31

MCM GOLDLINE® High Current Amplifier Battery Leads

Designed for installation of high power car amplifiers, these fused battery leads are perfect for any high current automotive accessory. The pre-assembled lead consists of an insulated gold plated ring terminal, an inline AGU style fuse holder with fuse, 16.5' of high strand count red primary wire, and an insulated gold plated spade terminal. Available in 8AWG sizes, a model is available to suit most applications.

Order #	Wire Gauge	Fuse Size	(1-3)	(4-up)
60-9656	8AWG	40A	18.37	15.68

MCM GOLDLINE® High Current Fused Battery Lead

Greatly eases the connection of high current automotive accessories such as car amplifiers, to the car battery. Pre-assembled lead consists of an insulated gold plated ring terminal, 1' of high strand count red primary wire and an inline AGU style fuse holder with fuse.

Order #	Wire Gauge	Fuse Size	(1-3)	(4-up)
60-9659	8AWG	40A	$9.01	$7.68

PYRAMID® One Farad Power Reinforcement Capacitors

•Ensure that your autosound amplifier receives much needed current for demanding peak bass passages •Low ESR ensures maximum discharge capability •Available in two colors •Gold plated screw terminal posts •Includes clear ABS mounting hardware •Voltage: 20VDC •Max temperature: 105° C •Effective series resistance (ESR): 0.0016Ω •Diameter: 3" •Length: 8.66" (9.65" with display)

Order #	Color	LED Display	(1–3 prs.)	(4 prs.–up)
60-5206	White	Yes	$89.20	$80.33

American International Automotive Noise Filters

•For use with radios, equalizers, tape players and compact disc players to filter out engine noise •Perfect for automobiles, boats, motorcycles, etc. •Heavy-duty double wound coil •Built-in provision for easy mounting with screws or wire ties •Mounted to heavy-duty circuit boards for maximum strength and quality •Made in USA

Order #	Voltage	(1-3)	(4-9)	(10-up)
60-1050	10A/150 watt	$8.37	$8.16	$7.73
60-1055	15A/250 watt	13.19	12.86	12.64
60-1060	25A/350 watt	21.20	20.66	20.14



PYRAMID® Noise Suppressors

•Heavy-duty car stereo protection from engine noise interference •Compatible with receivers, equalizers and amplifiers •Easily installed

Order #	Voltage	(1-3)	(4-9)	(10-up)
60-1260	10A	$6.35	$6.14	$5.82
60-1270	35A	18.83	18.29	17.77

NEW! NEW! NEW!

PowerAcoustik

Amplifier Wiring Kits

Essential for safely and reliably getting the current you need to drive single or multiple amplifiers. Kits include primary wire with sufficient length to run directly from the battery to the trunk compartment. It also includes audio cable and remote turn–on wire lead, to run from the dash area to the trunk compartment. **Package includes:** •20' red primary lead •3' black power ground •17' blue remote turn–on cable •Clear blue shielded (dual) RCA male-male cable, 17' •AGU fuse holder with appropriate fuse •33' speaker cable •Four heavy gauge wire crimp connectors •Assorted wire ties

Order #	Primary Wire	Speaker Wire	Fuse	(1–3 kits)	(4 kits–up)
60-5390	2AWG	12AWG	80A	$32.95	$29.75
60-5391	4AWG	12AWG	60A	25.95	23.50
60-5392	8AWG	16AWG	40A	15.95	14.50
60-5393	10AWG	18AWG	30A	12.95	11.75

PYLE Amplifier Wiring Kits

#60-5181

#60-5180

Greatly eases installation of autosound amplifiers. Kits include primary wire, speaker wire, audio cable and most additional hardware to professionally install amplifiers in the rear of most vehicles. **Kit includes:** •20' of high flex clear red power cable •4' of high flex clear black ground cable •20' stereo RCA interconnect audio cable with gold plated RCA connectors •20' blue 16AWG remote turn–on wire •In–line AGU fuse holder with included fuse •Assorted ring, butt and spade terminals •20 black cable ties •Firewall grommet

Order #	Wire Gauge	Fuse Size	(1–3 kits)	(4 kits–up)
60-5180	8AWG	60A AGU	$12.55	$11.29
60-5181	4AWG	80A AGU	23.36	20.95

Gold Plated Spade Lug Set

This heavy-duty spade lug is made in two pieces so soldering is not necessary. The two piece design provides a tight pressure fit grip to the speaker wire. They will accept binding post sizes from ⅛"~¼" and wire sizes from 10~14 gauge. Color coded red and black.

Order #	(1-9 sets)	(10-49 sets)	(50 sets-up)
50-2145	$2.55	$2.14	$1.94

PYRAMID®
Automatic Power Antenna

•Fully automatic antenna provides optimum AM/FM reception •Includes six mounting heads to fit a variety of vehicle styles •Black anodized telescopic mast

Order #	Model #	(1–3)	(4–up)
61-420	EA48	$37.75	$34.13

Multipile™ Automotive Trim Carpet



High quality non latex backed carpet perfect for cutting, fitting or molding into any desired shape or size. Its very durable construction stands up to heavy use. Texture is a plush high-profile nature with a random, non-linear pattern that will not "grin", fray or unravel. The colors are a solution-dyed polypropylene for good colorfastness resistant to soil, molds and mildews. Roll size: 40" by five linear yards.

Order #	Color	Order #	Color
60-8901	Medium gray	60-8945	Pewter
60-8906	Charcoal gray	60-8946	Burgundy
60-8916	Black	60-8950	Buckskin
60-8920	Scarlet	60-8955	Medium graphite
60-8935	Mocha	60-8960	Dark graphite
60-8940	Medium almond	60-8965	Medium parchment

(1-3)	(4-up)
$29.35	$26.20

OEM Style Automotive Trunk Liner



Quality non-backed carpet is perfect for cutting, molding and shaping into any desired shape or size. It has very durable construction that stands up to heavy use. The colors are a solution-dyed polypropylene for good colorfastness resistant to soil, molds and mildews. Roll size: 54" wide by five linear yards.

Order #	Color	(1-3)	(4-up)
60-8956	Black	$25.40	$22.22
60-8961	Silver	25.40	22.22
60-8966	Heather Charcoal	25.40	22.22
60-8971	Charcoal	25.40	22.22

RCA Jack Covers

Ideal for use on all equipment with RCA type female connectors. Similar to those often included with new autosound equipment, these covers protect connectors and internal components from dust and dirt. Ideal for unused connectors on autosound, home theater, PA and other professional equipment. Package contains ten covers, all red color.

Order #	(1-4 pkgs.)	(5-9 pkgs.)	(10 pkgs.-up)
60-8469	$2.18	$1.85	$1.64

In-Line Fuseholder for Maxi Fuses

•Electrical: Rated for currents up to 80A •Insulating body: PVC •Contacts: Brass

Order #	(1-9)	(10-49)
60-3705	$2.36	$2.26

In-Line Fuseholder for ATC Fuses

•Rated for currents up to 30A •Insulating body: PVC •Contacts: Brass

Order #	(1-9)	(10-49)
60-3710	$1.06	$0.91

In-Line Fuseholder for ATS Fuses

•Electrical: Rated for currents up to 30A •Insulating body: PVC •Contacts: Brass

Order #	(1-9)	(10-49)
60-3715	$0.87	$0.76

In-Line Fuseholder for ATC Fuses

•Rated for currents up to 30A •Insulating body: PVC •Contacts: Brass

Order #	(1-9)	(10-49)
60-3720	$0.64	$0.54

Split Loom Tubing



Perfect for bundling multiple cables in audio, computer and automotive applications. White color is especially useful in home theater installations, as it blends easily with walls. Heavy convoluted construction is split on one side, allowing easy insertion of cables. All rolls are 100' length.

Order #	Diameter	Color	(1-3)	(4-up)
60-4400	⅛"	Black	$9.75	$8.28
60-4401	⅜"	Black	12.55	10.70
60-4402	½"	Black	16.75	14.27
60-4403	¾"	Black	25.15	21.30
60-4405	1"	Black	31.45	26.76
60-4417	½"	White	16.75	14.27
60-4416	¾"	White	25.15	21.30
60-4415	1"	White	31.45	26.76

3A Noise Choke



•Filters out engine noise through power lead •Use with car stereos, power amps, CBs, marine radios and tape players

Order #	(1-9)	(10-up)
28-116	$2.50	$2.08

MCM GOLDLINE®
ANL Fuses

•32VDC •Gold finish

Order #	Current Rating	(1-19)	(20-199)	(200-up)
28-2500	100A	$7.12	$6.57	$6.03
28-2505	200A	7.12	6.57	6.03

In-Line Fuseholder Screw Type

•For fuse type AGC, SFE, JSO and MFA •Rated for currents up to 20A, when proper spring is installed for fuse size •Insulating body: Bakelite •Contacts: Brass

Order #	(1-9)	(10-49)	(50-up)
60-3730	$0.75	$0.64	$0.53

In-Line Fuseholder

•Rated for currents up to 20A •Insulating body: PVC •Contacts: Brass

Order #	(1-9)	(10-49)	(50-up)
60-3735	$0.54	$0.43	$0.28

In-Line Fuseholder



•8~16AWG

Order #	(1-9)	(10-49)	(50-up)
60-3740	$2.29	$2.08	$1.85

Heavy Duty In-Line Fuseholder Bayonet Type

•For fuse type AGC, SFE, JSO and MFA •Rated for currents up to 40A •Insulating body: Nylon with glass fiber •Contacts: Brass

Order #	(1-9)	(10-49)	(50-up)
60-3745	$0.86	$0.70	$0.53

In-Line, Fuseholder for 6.3 x 30mm and 6.3 x 32mm Fuses

•For fuse types AGC, SEF, JSO and MFA •Electrical: Rated for currents up to 20A, when proper spring is installed for size •Insulating body: Nylon •Contacts: Brass

Order #	(1-9)	(10-49)	(50-up)
60-3750	$0.54	$0.43	$0.33

150 Piece Auto Fuse Set

•Set contains the most commonly replaced fuses •Chip-type fuses meet or exceed OEM specifications •Keep in glove box for fast repairs

Set includes:

•Fifteen each of the following popular fuses: 5A, 10A, 15A, 20A, 25A, and 30A •Nine each of mini fuses: 5A, 25A, 30A •Ten each of mini fuses: 10A, 15A, 20A •Auto tester •Alligator clip •Neon tweezer

Order #	(set)
22-5105	$13.09

3M Scotch Mount Double Face Tape

•Designed attachment of automotive body trim, moldings and emblems •Also commonly used for vibration noise reduction •Packaged in rolls with peel–off adhesive backing •0.50" wide •60' long •0.030" thick

Order #	(1-4)	(5-9)	(10-up)
60-2100	$34.37	$32.63	$31.44